Accepted Manuscript

Surface temperature in different anatomical regions of ewes measured by infrared thermography

Ana Carolina Barros de Freitas, Celia Raquel Quirino, Aylton Bartholazzi Junior, Wilder Hernando Ortiz Vega, Caroline Marçal Gomes David, André Torres Geraldo, Miguel Alejandro Silva Rua, Luisa Fernanda Cipagauta Rojas, Janeo Eustáquio de Almeida Filho, Angelo José Burla Dias


PII: \$1871-1413(18)30223-3

DOI: https://doi.org/10.1016/j.livsci.2018.07.014

Reference: LIVSCI 3506

To appear in: Livestock Science

Received date: 30 March 2017 Revised date: 18 July 2018 Accepted date: 22 July 2018



Please cite this article Ana Carolina Barros de Freitas, Celia Raquel Quirino, as: Aylton Bartholazzi Junior, Wilder Hernando Ortiz Vega, Caroline Marçal Gomes David, André Torres Geraldo . Miguel Alejandro Silva Rua, Luisa Fernanda Cipagauta Rojas, Janeo Eustáquio de Almeida Filho, Angelo José Burla Dias, Surface temperature in different anatomical regions of ewes measured by infrared thermography, Livestock Science (2018), doi: https://doi.org/10.1016/j.livsci.2018.07.014

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Highlights

- The surface temperature of sheep varies during the estrous cycle.
- Vulva was the region with best potential to evaluate variation in surface temperature.

• The eye was not a good region to measure the temperature variation,



Download English Version:

https://daneshyari.com/en/article/8501863

Download Persian Version:

https://daneshyari.com/article/8501863

<u>Daneshyari.com</u>