

Accepted Manuscript

Performance, carcass traits and meat quality of Aberdeen Angus, Gascon, Holstein and Fleckvieh finishing bulls

Daniel Bureš , Luděk Bartoň

PII: S1871-1413(18)30193-8
DOI: [10.1016/j.livsci.2018.06.017](https://doi.org/10.1016/j.livsci.2018.06.017)
Reference: LIVSCI 3490



To appear in: *Livestock Science*

Received date: 23 January 2018
Revised date: 8 June 2018
Accepted date: 22 June 2018

Please cite this article as: Daniel Bureš , Luděk Bartoň , Performance, carcass traits and meat quality of Aberdeen Angus, Gascon, Holstein and Fleckvieh finishing bulls, *Livestock Science* (2018), doi: [10.1016/j.livsci.2018.06.017](https://doi.org/10.1016/j.livsci.2018.06.017)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Performance and meat quality were examined in different cattle breeds.
- The lowest feeding efficiency measured by RFI was observed in Holstein.
- Sensory attributes were rated higher in Aberdeen Angus than in the other breeds.
- Clear differences among breeds varying in age of maturity were revealed.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8501927>

Download Persian Version:

<https://daneshyari.com/article/8501927>

[Daneshyari.com](https://daneshyari.com)