Milk fever in dairy cows is preceded by activation of innate immunity and alterations in carbohydrate metabolism prior to disease occurrence

Guanshi Zhang, Elda Dervishi, Burim N. Ametaj

PII: S0034-5288(17)30309-0
DOI: doi:10.1016/j.rvsc.2017.12.008
Reference: YRVSC 3480

To appear in: *Research in Veterinary Science*

Received date: 14 March 2017
Revised date: 11 December 2017
Accepted date: 14 December 2017

Please cite this article as: Guanshi Zhang, Elda Dervishi, Burim N. Ametaj , Milk fever in dairy cows is preceded by activation of innate immunity and alterations in carbohydrate metabolism prior to disease occurrence. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Yrvsc(2017), doi:10.1016/j.rvsc.2017.12.008

Milk fever in dairy cows is preceded by activation of innate immunity and alterations in carbohydrate metabolism prior to disease occurrence

Guanshi Zhang[1], Elda Dervishi[1], and Burim N. Ametaj[1*]

[1]Department of Agricultural Food, and Nutritional Science, University of Alberta, Edmonton, AB T6G 2P5, Canada

[2]Department of Biological Sciences, University of Alberta, Edmonton, AB T6G 2M9, Canada

*Corresponding author: Department of Agricultural Food, and Nutritional Science, University of Alberta, Edmonton, AB T6G 2P5, Canada. Tel: 780-492-9841; fax: 780-492-4265.

E-mail address:burim.ametaj@ualberta.ca (B.N. Ametaj).