

Accepted Manuscript

Title: Evaluation of crude glycerin as a partial substitute of corn grain in growing diets for lambs

Authors: Gilcifran Prestes de Andrade, Francisco Fernando Ramos de Carvalho, Ângela Maria Vieira Batista, Ricardo Alexandre Silva Pessoa, Caio Alves da Costa, Daniel Barros Cardoso, Michel do Vale Maciel



PII: S0921-4488(18)30482-6
DOI: <https://doi.org/10.1016/j.smallrumres.2018.06.002>
Reference: RUMIN 5686

To appear in: *Small Ruminant Research*

Received date: 28-9-2017
Revised date: 18-5-2018
Accepted date: 5-6-2018

Please cite this article as: de Andrade GP, de Carvalho FFR, Batista ÂMV, Pessoa RAS, da Costa CA, Cardoso DB, do Vale Maciel M, Evaluation of crude glycerin as a partial substitute of corn grain in growing diets for lambs, *Small Ruminant Research* (2018), <https://doi.org/10.1016/j.smallrumres.2018.06.002>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Evaluation of crude glycerin as a partial substitute of corn grain in growing diets for lambs

Gilcifran Prestes de Andrade^a, Francisco Fernando Ramos de Carvalho^a, Ângela Maria Vieira Batista^a, Ricardo Alexandre Silva Pessoa^a, Caio Alves da Costa^b, Daniel Barros Cardoso^{a}, Michel do Vale Maciel^a*

^aDepartment of Animal Science, Federal Rural University of Pernambuco, UFRPE, Recife, Pernambuco, Brazil.

^bDepartment of Animal Science, Federal University of Roraima, UFRR, Boa Vista, Roraima, Brazil.

*Corresponding Author.

Department of Animal Science, Universidade Federal Rural de Pernambuco, Dom Manoel de Medeiros Street, s/n, Dois Irmãos, 52171 - 900, Recife, Pernambuco, Brazil.

Phone: +55 (81) 99933-2649; Fax: +55 (81) 3320-6555

E-mail address: danbarrc@hotmail.com

Highlights

- Crude glycerin improved the DM intake at the 10.9% of inclusion in diet.
- The feed conversion was better at the glycerin inclusion level of 9.3%.
- A higher energy intake occurred with the inclusion of 10.75% crude glycerin in the diet.

Download English Version:

<https://daneshyari.com/en/article/8504145>

Download Persian Version:

<https://daneshyari.com/article/8504145>

[Daneshyari.com](https://daneshyari.com)