Title: Tick host specificity: an analysis based on host phylogeny and tick ecological features using *Amblyomma triste* and *Amblyomma tigrinum* immature stages

Authors: Valeria C. Colombo, Agustín A. Fasano, Pablo M. Beldomenico, Santiago Nava

PII: S1877-959X(17)30364-3
DOI: https://doi.org/10.1016/j.ttbdis.2018.03.001
Reference: TTBDIS 980

To appear in:

Received date: 4-8-2017
Revised date: 28-2-2018
Accepted date: 1-3-2018

Please cite this article as: Colombo, Valeria C., Fasano, Agustín A., Beldomenico, Pablo M., Nava, Santiago, Tick host specificity: an analysis based on host phylogeny and tick ecological features using Amblyomma triste and Amblyomma tigrinum immature stages.Ticks and Tick-borne Diseases https://doi.org/10.1016/j.ttbdis.2018.03.001

Tick host specificity: an analysis based on host phylogeny and tick ecological features using *Amblyomma triste* and *Amblyomma tigrinum* immature stages

Valeria C. Colombo *[a], Agustín A. Fasano [a], Pablo M. Beldomenico [a] and Santiago Nava [b]

[a] Laboratorio de Ecología de Enfermedades (LEcEn), Instituto de Ciencias Veterinarias del Litoral (ICiVet-Litoral), Universidad Nacional del Litoral (UNL)/Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET). R.P Kreder 2805, CP: 3080, Esperanza, Santa Fe, Argentina.

[b] Instituto Nacional de Tecnología Agropecuaria (INTA), Estación Experimental Agropecuaria Rafaela, and Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET). CC 22, CP 2300 Rafaela, Santa Fe, Argentina.

Agustin A. Fasano: aguf_344@hotmail.com

Pablo M. Beldomenico: pbeldome@fcv.unl.edu.ar

Santiago Nava: nava.santiago@inta.gob.ar

*** Corresponding author**: **Valeria Carolina Colombo**, Laboratorio de Ecología de Enfermedades (LEcEn), ICiVet-Litoral, UNL / CONICET. R. P. Kreder 2805, CP: 3080, Esperanza, Santa Fe, Argentina. Tel +54 3496 420639 Fax +54 3496 426304. E mail: valecc1983@yahoo.com.ar

ABSTRACT

Here we have evaluated tick host specificity with two different methodological approaches considering *Amblyomma tigrinum* and *Amblyomma triste* immatures as targets. Firstly, the Std*