Accepted Manuscript

How to measure release from nanosized carriers?

Lisa Nothnagel, Matthias G. Wacker

PII: S0928-0987(18)30223-9

DOI: doi:10.1016/j.ejps.2018.05.004

Reference: PHASCI 4515

To appear in: European Journal of Pharmaceutical Sciences

Received date: 8 February 2018
Revised date: 13 April 2018
Accepted date: 7 May 2018

Please cite this article as: Lisa Nothnagel, Matthias G. Wacker, How to measure release from nanosized carriers?. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Phasci(2017), doi:10.1016/j.ejps.2018.05.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

How to measure release from nanosized carriers?

Lisa Nothnagel^a, Matthias G. Wacker^{* a,b}

^aDepartment of Pharmaceutical Technology and Nanosciences, Fraunhofer-Institute for Molecular Biology and Applied Ecology (IME), 60438 Frankfurt am Main, Germany

^bInstitute of Pharmaceutical Technology, Goethe University, 60438 Frankfurt am Main, Germany

Corresponding Author*

Dr. Matthias G. Wacker

Fraunhofer-Institute for Molecular Biology and Applied Ecology (IME) Project Group for Translational Medicine and Pharmacology (TMP) Department of Pharmaceutical Technology and Nanoscience Max-von-Laue-Str. 9 60438 Frankfurt am Main, Germany

E-mail: matthias.wacker@ime.fraunhofer.de

Download English Version:

https://daneshyari.com/en/article/8511029

Download Persian Version:

https://daneshyari.com/article/8511029

<u>Daneshyari.com</u>