

Accepted Manuscript

Preparation and comparison of tacrolimus-loaded solid dispersion and self-microemulsifying drug delivery system by in vitro/in vivo evaluation

Taotao Huo, Chun Tao, Minxin Zhang, Qinghong Liu, Bing Lin, Zhihong Liu, Jialiang Zhang, Meijing Zhang, Haiyue Yang, Jue Wu, Xinrong Sun, Qian Zhang, Hongtao Song



PII: S0928-0987(17)30662-0

DOI: doi:[10.1016/j.ejps.2017.12.002](https://doi.org/10.1016/j.ejps.2017.12.002)

Reference: PHASCI 4322

To appear in: *European Journal of Pharmaceutical Sciences*

Received date: 30 August 2017

Revised date: 1 December 2017

Accepted date: 4 December 2017

Please cite this article as: Taotao Huo, Chun Tao, Minxin Zhang, Qinghong Liu, Bing Lin, Zhihong Liu, Jialiang Zhang, Meijing Zhang, Haiyue Yang, Jue Wu, Xinrong Sun, Qian Zhang, Hongtao Song, Preparation and comparison of tacrolimus-loaded solid dispersion and self-microemulsifying drug delivery system by in vitro/in vivo evaluation. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Phasci(2017), doi:[10.1016/j.ejps.2017.12.002](https://doi.org/10.1016/j.ejps.2017.12.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Preparation and comparison of tacrolimus-loaded solid dispersion
and self-microemulsifying drug delivery system
by in vitro/in vivo evaluation**

Taotao Huo ^{a,b,1}, Chun Tao ^{a,b,1}, Minxin Zhang ^a, Qinghong Liu^c, Bing Lin^a, Zhihong
Liu ^a, Jialiang Zhang^a, Meijing Zhang ^{a, b}, Haiyue Yang ^{a, d}, Jue Wu ^{a, e}, Xinrong Sun ^{a, e},
Qian Zhang^{b,*}, Hongtao Song^{a, **}

^a *Department of Pharmacy, Fuzhou General Hospital of PLA, Fuzhou 350025, PR
China*

^b *College of Pharmacy, Fujian Medical University, Fuzhou 350108, PR China*

^c *Department of pathology, Fuzhou General Hospital of PLA, Fuzhou 350025, PR
China*

^d *Medical Colledge, Xiamen University, Fujian, Xiamen 361102, PR China*

^e *College of Pharmacy, Fujian University of Traditional Chinese Medicine, Fujian,
Fuzhou 350122, PR China*

¹ Note: Taotao Huo and Chun Tao contributed equally to this paper.

* *Corresponding author: Qian Zhang, E-mail: 1009467948@qq.com, Tel.: +86 0591
2285 9459; fax: +86 0591 2285 9459. College of Pharmacy, Fujian Medical
University, 156 West Second-Ring Road, Fuzhou 350025, PR China.*

** *Corresponding author: Hongtao Song, E-mail: sohoto@vip.163.com, Tel.: +86
0591 2285 9459; fax: +86 0591 2285 9459. Department of Pharmacy, Fuzhou
General Hospital of PLA, 156 West Second-Ring Road, Fuzhou 350025, PR China.*

Download English Version:

<https://daneshyari.com/en/article/8511695>

Download Persian Version:

<https://daneshyari.com/article/8511695>

[Daneshyari.com](https://daneshyari.com)