Accepted Manuscript

Derivatization of honokiol by integrated acetylation and methylation for improved cutaneous delivery and antiinflammatory potency European Journal of

PHARMACEUTICAL
SCIENCES

With all model at the
TREATMENT FOR PRARMAGERIAL STORYS

WHICH ARRESTS FOR PRARMAGERIAL STORYS

TO STORY AND A THE STORY AND A T

Jia-You Fang, Tse-Hung Huang, Chi-Feng Hung, Yu-Ling Huang, Ibrahim A. Aljuffali, Wei-Chun Liao, Chwan-Fwu Lin

PII: S0928-0987(17)30667-X

DOI: doi:10.1016/j.ejps.2017.12.007

Reference: PHASCI 4327

To appear in: European Journal of Pharmaceutical Sciences

Received date: 3 October 2017
Revised date: 1 December 2017
Accepted date: 8 December 2017

Please cite this article as: Jia-You Fang, Tse-Hung Huang, Chi-Feng Hung, Yu-Ling Huang, Ibrahim A. Aljuffali, Wei-Chun Liao, Chwan-Fwu Lin, Derivatization of honokiol by integrated acetylation and methylation for improved cutaneous delivery and anti-inflammatory potency. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Phasci(2017), doi:10.1016/j.ejps.2017.12.007

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Derivatization of honokiol by integrated acetylation and methylation for improved cutaneous delivery and anti-inflammatory potency

- Jia-You Fang^{a,b,c,1}, Tse-Hung Huang^{d,e,f,1}, Chi-Feng Hung^g, Yu-Ling Huang^{h,i}, Ibrahim A. Aljuffali^j, Wei-Chun Liao^a, Chwan-Fwu Lin^{b,c,i,*}
 - ^a Pharmaceutics Laboratory, Graduate Institute of Natural Products, Chang Gung University, Kweishan, Taoyuan, Taiwan
 - ^b Research Center for Food and Cosmetic Safety and Research Center for Chinese Herbal Medicine, Chang Gung University of Science and Technology, Taoyuan, Taiwan
- ^c Department of Anesthesiology, Chang Gung Memorial Hospital, Linkou, Taoyuan, Taiwan
- ^d Department of Traditional Chinese Medicine, Chang Gung Memorial Hospital, Keelung, Taiwan
- ^e School of Traditional Chinese Medicine, Chang Gung University, Taoyuan, Taiwan

 ^f School of Nursing, National Taipei University of Nursing and Health Sciences,

 Taipei, Taiwan
 - ^g School of Medicine, Fu Jen Catholic University, Hsinchuang, New Taipei City, Taiwan, Taiwan
- ^h National Research Institute of Chinese Medicine, Ministry of Health and Welfare, Taipei, Taiwan
- ⁱ Department of Cosmetic Science, Chang Gung University of Science and Technology, Kweishan, Taoyuan, Taiwan
- ^j Department of Pharmaceutics, College of Pharmacy, King Saud University, Riyadh, Saudi Arabia

*Corresponding author: Chwan-Fwu Lin, Department of Cosmetic Science, Chang Gung University of Science and Technology, Kweishan, Taoyuan, Taiwan, 261 Wen-Hwa 1st Road, Kweishan, Taoyuan 333, Taiwan. Tel.: +886-3-2118999; Fax: +886-3-2118866. E-mail: cflin@mail.cgust.edu.tw

¹ equal contribution.

Download English Version:

https://daneshyari.com/en/article/8511759

Download Persian Version:

https://daneshyari.com/article/8511759

<u>Daneshyari.com</u>