SLM, a novel carbazole-based fluorophore attenuates okadaic acid-induced tau hyperphosphorylation via down-regulating GSK-3β activity in SH-SY5Y cells

Xiaoli Wu, Jayasankar Kosaraju, Kin Yip Tam

PII: S0928-0987(17)30172-0
DOI: doi: 10.1016/j.ejps.2017.03.037
Reference: PHASCI 3977

To appear in: *European Journal of Pharmaceutical Sciences*

Received date: 23 February 2017
Revised date: 25 March 2017
Accepted date: 25 March 2017

Please cite this article as: Xiaoli Wu, Jayasankar Kosaraju, Kin Yip Tam , SLM, a novel carbazole-based fluorophore attenuates okadaic acid-induced tau hyperphosphorylation via down-regulating GSK-3β activity in SH-SY5Y cells. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Phasci(2017), doi: 10.1016/j.ejps.2017.03.037

SLM, a novel carbazole-based fluorophore attenuates okadaic acid-induced tau hyperphosphorylation via down-regulating GSK-3β activity in SH-SY5Y cells

Xiaoli Wu, Jayasankar Kosaraju, Kin Yip Tam*

Faculty of Health Sciences, University of Macau, Taipa, Macau, China.

*Author for correspondence:

Kin Yip Tam

Faculty of Health Sciences,

University of Macau, Taipa, Macau

Email: kintam@umac.mo

Tel.: +853 88224988

Fax: +853 88222314