


Accepted Manuscript

Real-time monitoring of the tablet-coating process by near-infrared spectroscopy -
Effects of coating polymer concentrations on pharmaceutical properties of tablets -

Yusuke Hattori, Misuzu Sugata, Hitoshi Kamata, Makoto Nagata, Takuya Nagato,
Kouji Hasegawa, Makoto Otsuka



PII: S1773-2247(17)31127-9

DOI: [10.1016/j.jddst.2018.04.018](https://doi.org/10.1016/j.jddst.2018.04.018)

Reference: JDDST 641

To appear in: *Journal of Drug Delivery Science and Technology*

Received Date: 25 December 2017



Revised Date: 9 April 2018

Accepted Date: 30 April 2018


Please cite this article as: Y. Hattori, M. Sugata, H. Kamata, M. Nagata, T. Nagato, K. Hasegawa, M. Otsuka, Real-time monitoring of the tablet-coating process by near-infrared spectroscopy - Effects of coating polymer concentrations on pharmaceutical properties of tablets -, *Journal of Drug Delivery Science and Technology* (2018), doi: 10.1016/j.jddst.2018.04.018.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.


Coating layer thickness of the tablets.



Dissolution of the coating tablets.



Effect of coating suspension concentration on thickness monitoring of the coating tablets by NIR.



Download English Version:

<https://daneshyari.com/en/article/8512633>

Download Persian Version:

<https://daneshyari.com/article/8512633>

[Daneshyari.com](https://daneshyari.com)