

Accepted Manuscript

Container Closure Integrity Testing of Prefilled Syringes

Sarah S. Peláez, Hanns-Christian Mahler, Anja Matter, Atanas Koulov, Satish K. Singh, Oliver Germershaus, Roman Mathaes



PII: S0022-3549(18)30198-9

DOI: [10.1016/j.xphs.2018.03.025](https://doi.org/10.1016/j.xphs.2018.03.025)

Reference: XPHS 1120

To appear in: *Journal of Pharmaceutical Sciences*

Received Date: 28 December 2017

Revised Date: 16 March 2018

Accepted Date: 27 March 2018

Please cite this article as: Peláez SS, Mahler HC, Matter A, Koulov A, Singh SK, Germershaus O, Mathaes R, Container Closure Integrity Testing of Prefilled Syringes, *Journal of Pharmaceutical Sciences* (2018), doi: 10.1016/j.xphs.2018.03.025.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Container Closure Integrity Testing of Prefilled Syringes

Sarah S. Peláez¹, Hanns-Christian Mahler¹, Anja Matter¹, Atanas Koulov¹, Satish K. Singh¹,
Oliver Germershaus², Roman Mathaes^{1*}

¹ Lonza AG, Drug Product Services, Basel, Switzerland

² Institute for Pharma Technology, School of Life Sciences, University of Applied Sciences
Northwestern Switzerland, Muttenz, Switzerland

*Corresponding Author: Roman Mathaes, roman.mathaes@lonza.com

Download English Version:

<https://daneshyari.com/en/article/8513118>

Download Persian Version:

<https://daneshyari.com/article/8513118>

[Daneshyari.com](https://daneshyari.com)