

Accepted Manuscript

Determination of non-spherical morphology of doxorubicin-loaded liposomes by atomic force microscopy

Naoki Takahashi, Kenjirou Higashi, Keisuke Ueda, Keiji Yamamoto, Kunikazu Moribe



PII: S0022-3549(17)30700-1

DOI: [10.1016/j.xphs.2017.10.009](https://doi.org/10.1016/j.xphs.2017.10.009)

Reference: XPHS 957

To appear in: *Journal of Pharmaceutical Sciences*

Received Date: 26 June 2017

Revised Date: 3 October 2017

Accepted Date: 5 October 2017

Please cite this article as: Takahashi N, Higashi K, Ueda K, Yamamoto K, Moribe K, Determination of non-spherical morphology of doxorubicin-loaded liposomes by atomic force microscopy, *Journal of Pharmaceutical Sciences* (2017), doi: 10.1016/j.xphs.2017.10.009.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Determination of non-spherical morphology of doxorubicin-loaded liposomes by atomic force microscopy

*Naoki Takahashi[†], Kenjiro Higashi[†], Keisuke Ueda, Keiji Yamamoto, and Kunikazu Moribe**

[†]These authors contributed equally to this work.

Graduate School of Pharmaceutical Sciences, Chiba University, 1-8-1 Inohana, Chuo-ku, Chiba 260-8675, Japan

*Corresponding Author: Graduate School of Pharmaceutical Sciences, Chiba University, 1-8-1 Inohana, Chuo-ku, Chiba 260-8675, Japan; Tel.: +81-43-226-2865; Fax: +81-43-226-2867; E-mail: moribe@faculty.chiba-u.jp

Download English Version:

<https://daneshyari.com/en/article/8513498>

Download Persian Version:

<https://daneshyari.com/article/8513498>

[Daneshyari.com](https://daneshyari.com)