

Accepted Manuscript

Assessment of Passive Intestinal Permeability Using an Artificial Membrane Insert System

Philippe Berben, Joachim Brouwers, Patrick Augustijns



PII: S0022-3549(17)30566-X

DOI: [10.1016/j.xphs.2017.08.002](https://doi.org/10.1016/j.xphs.2017.08.002)

Reference: XPHS 894

To appear in: *Journal of Pharmaceutical Sciences*

Received Date: 20 June 2017

Revised Date: 8 August 2017

Accepted Date: 8 August 2017

Please cite this article as: Berben P, Brouwers J, Augustijns P, Assessment of Passive Intestinal Permeability Using an Artificial Membrane Insert System, *Journal of Pharmaceutical Sciences* (2017), doi: 10.1016/j.xphs.2017.08.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1 **Assessment of Passive Intestinal Permeability Using an Artificial**
2 **Membrane Insert System**

3 **Philippe Berben¹, Joachim Brouwers¹, Patrick Augustijns¹**

4
5
6 ¹Drug Delivery and Disposition, KU Leuven, Gasthuisberg O&N II, Herestraat 49 - box 921, 3000
7 Leuven, Belgium

8
9 Corresponding author:

10 Patrick Augustijns

11 Drug Delivery and Disposition, KU Leuven, Gasthuisberg O&N II, Herestraat 49 – box 921, 3000
12 Leuven, Belgium

13 Tel: +32 16 33 03 01 Fax: +32 16 33 03 05

14 Patrick.augustijns@kuleuven.be

Download English Version:

<https://daneshyari.com/en/article/8513592>

Download Persian Version:

<https://daneshyari.com/article/8513592>

[Daneshyari.com](https://daneshyari.com)