

Accepted Manuscript

Proteasome inhibitor loaded micelles enhance antitumor activity through macrophage reprogramming by NF- κ B inhibition

Hailiang Wu, Anqi Tao, John D. Martin, Sabina Quader, Xueying Liu, Kei Takahashi, Louise Hespel, Yutaka Miura, Yoshihiro Hayakawa, Tatsuro Irimura, Horacio Cabral, Kazunori Kataoka

PII: S0022-3549(17)30217-4

DOI: [10.1016/j.xphs.2017.03.031](https://doi.org/10.1016/j.xphs.2017.03.031)

Reference: XPHS 709

To appear in: *Journal of Pharmaceutical Sciences*

Received Date: 17 January 2017

Revised Date: 25 March 2017

Accepted Date: 27 March 2017

Please cite this article as: Wu H, Tao A, Martin JD, Quader S, Liu X, Takahashi K, Hespel L, Miura Y, Hayakawa Y, Irimura T, Cabral H, Kataoka K, Proteasome inhibitor loaded micelles enhance antitumor activity through macrophage reprogramming by NF- κ B inhibition, *Journal of Pharmaceutical Sciences* (2017), doi: 10.1016/j.xphs.2017.03.031.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Proteasome inhibitor loaded micelles enhance antitumor activity through macrophage
reprogramming by NF- κ B inhibition**

Hailiang Wu¹, Anqi Tao², John D. Martin², Sabina Quader¹, Xueying Liu¹, Kei Takahashi³, Louise Hespel², Yutaka Miura², Yoshihiro Hayakawa^{3,4}, Tatsuro Irimura^{3,5}, Horacio Cabral^{2*}, Kazunori Kataoka^{1,6*}

1. Innovation Center of NanoMedicine, Kawasaki Institute of Industrial Promotion, 3-25-14, Tonomachi, Kawasaki-ku, Kawasaki 210-0821, Japan.
2. Department of Bioengineering, Graduate School of Engineering, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8656, Japan.
3. Laboratory of Cancer Biology and Molecular Immunology, Graduate School of Pharmaceutical Sciences, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-0033, Japan.
4. Division of Pathogenic Biochemistry, Department of Bioscience, Institute of Natural Medicine, University of Toyama, 2630 Sugitani, Toyama 930-0194, Japan.
5. Juntendo University School of Medicine, 2-1-1, Hongo, Bunkyo-ku, Tokyo 113-8421, Japan
6. Policy Alternatives Research Institute, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-0033, Japan.

*Corresponding authors

E-mail: horacio@bmw.t.u-tokyo.ac.jp, kataoka@bmw.t.u-tokyo.ac.jp

Download English Version:

<https://daneshyari.com/en/article/8513947>

Download Persian Version:

<https://daneshyari.com/article/8513947>

[Daneshyari.com](https://daneshyari.com)