

# Accepted Manuscript

Analysis of the change in the blood concentration–time profile caused by complex drug–drug interactions in the liver considering the enterohepatic circulation: Examining whether the inhibition constants for uptake, metabolism and biliary excretion can be recovered by the analyses using physiologically based pharmacokinetic modeling



Kota Toshimoto, Yukana Tomoda, Koji Chiba, Yuichi Sugiyama

PII: S0022-3549(17)30326-X

DOI: [10.1016/j.xphs.2017.04.057](https://doi.org/10.1016/j.xphs.2017.04.057)

Reference: XPHS 780

To appear in: *Journal of Pharmaceutical Sciences*

Received Date: 27 February 2017

Revised Date: 19 April 2017

Accepted Date: 24 April 2017

Please cite this article as: Toshimoto K, Tomoda Y, Chiba K, Sugiyama Y, Analysis of the change in the blood concentration–time profile caused by complex drug–drug interactions in the liver considering the enterohepatic circulation: Examining whether the inhibition constants for uptake, metabolism and biliary excretion can be recovered by the analyses using physiologically based pharmacokinetic modeling, *Journal of Pharmaceutical Sciences* (2017), doi: 10.1016/j.xphs.2017.04.057.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Analysis of the change in the blood concentration–time profile caused by complex drug–drug interactions in the liver considering the enterohepatic circulation:  
Examining whether the inhibition constants for uptake, metabolism and biliary excretion can be recovered by the analyses using physiologically based pharmacokinetic modeling.**

Kota Toshimoto<sup>1</sup>, Yukana Tomoda<sup>1,2</sup>, Koji Chiba<sup>1,2</sup>, and Yuichi Sugiyama<sup>1</sup>

<sup>1</sup> Sugiyama Laboratory, RIKEN Innovation Center, RIKEN, Yokohama, Japan

<sup>2</sup> Clinical Pharmacology Research Laboratory, Yokohama University of Pharmacy,  
Yokohama, Japan

Corresponding author: Kota Toshimoto

Address: Sugiyama Laboratory, RIKEN Innovation Center, RIKEN Cluster for Industry

Partnerships, RIKEN, 1-6, Suehiro-cho, Tsurumi-ku, Yokohama 230-0045, Japan

Tel. +81-45-503-9111 (ex. 8096)

Fax. +81-45-503-9190

E-mail: [kota.toshimoto@riken.jp](mailto:kota.toshimoto@riken.jp)

Download English Version:

<https://daneshyari.com/en/article/8514084>

Download Persian Version:

<https://daneshyari.com/article/8514084>

[Daneshyari.com](https://daneshyari.com)