

Accepted Manuscript

Prediction of human pharmacokinetic profile after transdermal drug application using excised human skin

Syunsuke Yamamoto, Masatoshi Karashima, Yuta Arai, Kimio Tohyama, Nobuyuki Amano

PII: S0022-3549(17)30159-4

DOI: [10.1016/j.xphs.2017.03.003](https://doi.org/10.1016/j.xphs.2017.03.003)

Reference: XPHS 681

To appear in: *Journal of Pharmaceutical Sciences*

Received Date: 19 December 2016

Revised Date: 2 March 2017

Accepted Date: 6 March 2017

Please cite this article as: Yamamoto S, Karashima M, Arai Y, Tohyama K, Amano N, Prediction of human pharmacokinetic profile after transdermal drug application using excised human skin, *Journal of Pharmaceutical Sciences* (2017), doi: 10.1016/j.xphs.2017.03.003.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Prediction of human pharmacokinetic profile after transdermal drug application using excised human skin

Syunsuke Yamamoto^{a,*}, Masatoshi Karashima^b, Yuta Arai^b, Kimio Tohyama^a, and Nobuyuki Amano^a

^aDrug Metabolism and Pharmacokinetics Research Laboratories, Research, Takeda Pharmaceutical Company Limited, 26-1, Muraoka-Higashi 2-chome, Fujisawa, Kanagawa, Japan

^bAnalytical Development, Pharmaceutical Sciences, Takeda Pharmaceutical Company Limited, 26-1, Muraoka-Higashi 2-chome, Fujisawa, Kanagawa, Japan

Download English Version:

<https://daneshyari.com/en/article/8514107>

Download Persian Version:

<https://daneshyari.com/article/8514107>

[Daneshyari.com](https://daneshyari.com)