Accepted Manuscript

Current *in vitro* Methods to Determine Hepatic Kp_{uu}: a Comparison of Their Usefulness and Limitations

Julia Riede, Gian Camenisch, Jörg Huwyler, Birk Poller

PII: S0022-3549(17)30211-3

DOI: 10.1016/j.xphs.2017.03.025

Reference: XPHS 703

To appear in: *Journal of Pharmaceutical Sciences*

Received Date: 13 February 2017

Revised Date: 23 March 2017

Accepted Date: 27 March 2017

Please cite this article as: Riede J, Camenisch G, Huwyler J, Poller B, Current *in vitro* Methods to Determine Hepatic Kp_{uu}: a Comparison of Their Usefulness and Limitations, *Journal of Pharmaceutical Sciences* (2017), doi: 10.1016/j.xphs.2017.03.025.

Current *in vitro* methods to determine hepatic Kp_{uu}: a comparison of their usefulness and limitations

Julia Riede[1,2], Gian Camenisch[1], Jörg Huwyler[2], Birk Poller[1,*]

[1]Division of Drug Metabolism and Pharmacokinetics, Integrated Drug Disposition Section, Novartis Institutes for BioMedical Research, CH-4056 Basel, Switzerland

[2]Department of Pharmaceutical Sciences, Division of Pharmaceutical Technology, University of Basel, CH-4056 Basel, Switzerland

[*]Corresponding author: Email: birk.poller@novartis.com, Mobile: +41 79 6822472, Fax: +41 61 6968583

Running Title: Current methods to determine hepatic Kp_{uu}