

# Accepted Manuscript

Microvillus-specific protein tyrosine phosphatase SAP-1 plays a role in regulating the intestinal paracellular transport of macromolecules

Shingo Mori, Noriyasu Kamei, Yoji Murata, Kozo Takayama, Takashi Matozaki, Mariko Takeda-Morishita

PII: S0022-3549(17)30247-2

DOI: [10.1016/j.xphs.2017.04.014](https://doi.org/10.1016/j.xphs.2017.04.014)

Reference: XPHS 737

To appear in: *Journal of Pharmaceutical Sciences*

Received Date: 8 February 2017

Revised Date: 10 April 2017

Accepted Date: 10 April 2017

Please cite this article as: Mori S, Kamei N, Murata Y, Takayama K, Matozaki T, Takeda-Morishita M, Microvillus-specific protein tyrosine phosphatase SAP-1 plays a role in regulating the intestinal paracellular transport of macromolecules, *Journal of Pharmaceutical Sciences* (2017), doi: 10.1016/j.xphs.2017.04.014.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Note

**Microvillus-specific protein tyrosine phosphatase SAP-1 plays a role in regulating the intestinal paracellular transport of macromolecules**

Authors:

Shingo Mori<sup>1,#</sup>, Noriyasu Kamei<sup>2,#</sup>, Yoji Murata<sup>3</sup>, Kozo Takayama<sup>1</sup>, Takashi Matozaki<sup>3</sup>,  
Mariko Takeda-Morishita<sup>2,\*</sup>

Affiliations:

<sup>1</sup> Department of Pharmaceutics, Hoshi University, 2-4-41 Ebara, Shinagawa-ku, Tokyo  
142-8501, Japan

<sup>1</sup> Laboratory of Drug Delivery Systems, Faculty of Pharmaceutical Sciences, Kobe  
Gakuin University, 1-1-3 Minatojima, Chuo-ku, Kobe, Hyogo 650-8586, Japan

<sup>3</sup> Division of Molecular and Cellular Signaling, Department of Biochemistry and  
Molecular Biology, Kobe University Graduate School of Medicine, 7-5-1 Kusunokicho,  
Chuo-ku, Kobe, Hyogo 650-0017, Japan

# These authors contributed equally to this work.

\*Correspondence to: Mariko Takeda-Morishita

Tel: +81-78-974-4816

Fax: +81-78-974-4820

E-mail address: mmtakeda@pharm.kobegakuin.ac.jp

Download English Version:

<https://daneshyari.com/en/article/8514155>

Download Persian Version:

<https://daneshyari.com/article/8514155>

[Daneshyari.com](https://daneshyari.com)