

Accepted Manuscript

Chloride cotransporter KCC2 is essential for GABAergic inhibition in the SCN

A.H.O. Olde Engberink, J.H. Meijer, S. Michel

PII: S0028-3908(18)30253-3

DOI: [10.1016/j.neuropharm.2018.05.023](https://doi.org/10.1016/j.neuropharm.2018.05.023)

Reference: NP 7200

To appear in: *Neuropharmacology*


Received Date: 29 January 2018

Revised Date: 26 April 2018

Accepted Date: 17 May 2018

Please cite this article as: Olde Engberink, A.H.O., Meijer, J.H., Michel, S., Chloride cotransporter KCC2 is essential for GABAergic inhibition in the SCN, *Neuropharmacology* (2018), doi: 10.1016/j.neuropharm.2018.05.023.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Chloride cotransporter KCC2 is essential for GABAergic inhibition in the SCN.

A.H.O. Olde Engberink¹, J.H. Meijer¹, S. Michel^{1*}

¹*Department of Cellular and Chemical Biology, Laboratory for Neurophysiology, Leiden*

University Medical Center, Einthovenweg 20, 2333 ZC, Leiden, the Netherlands.

*corresponding author
Stephan Michel

S.H.Michel@lumc.nl

Postal address:

LUMC
Postzone S5-P
Postbus 9600
2300 RC Leiden
The Netherlands

The authors declare no conflict of interests.

Download English Version:

<https://daneshyari.com/en/article/8516382>

Download Persian Version:

<https://daneshyari.com/article/8516382>

[Daneshyari.com](https://daneshyari.com)