


Accepted Manuscript

Blockade of T-type calcium channels by 6-prenylnaringenin, a hop component, alleviates neuropathic and visceral pain in mice

Fumiko Sekiguchi, Tomoyo Fujita, Takahiro Deguchi, Sakura Yamaoka, Ken Tomochika, Maho Tsubota, Sumire Ono, Yamato Horaguchi, Maki Ichii, Mio Ichikawa, Yumiko Ueno, Nene Koike, Tadatoshii Tanino, Huy Du Nguyen, Takuya Okada, Hiroyuki Nishikawa, Shigeru Yoshida, Tsuyako Ohkubo, Naoki Toyooka, Kazuya Murata, Hideaki Matsuda, Atsufumi Kawabata



PII: S0028-3908(18)30309-5

DOI: [10.1016/j.neuropharm.2018.06.020](https://doi.org/10.1016/j.neuropharm.2018.06.020)

Reference: NP 7232

To appear in: *Neuropharmacology*


Received Date: 7 February 2018

Revised Date: 30 May 2018

Accepted Date: 14 June 2018

Please cite this article as: Sekiguchi, F., Fujita, T., Deguchi, T., Yamaoka, S., Tomochika, K., Tsubota, M., Ono, S., Horaguchi, Y., Ichii, M., Ichikawa, M., Ueno, Y., Koike, N., Tanino, T., Du Nguyen, H., Okada, T., Nishikawa, H., Yoshida, S., Ohkubo, T., Toyooka, N., Murata, K., Matsuda, H., Kawabata, A., Blockade of T-type calcium channels by 6-prenylnaringenin, a hop component, alleviates neuropathic and visceral pain in mice, *Neuropharmacology* (2018), doi: 10.1016/j.neuropharm.2018.06.020.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Download English Version:

<https://daneshyari.com/en/article/8516399>

Download Persian Version:

<https://daneshyari.com/article/8516399>

[Daneshyari.com](https://daneshyari.com)