Accepted Manuscript

Nucleus accumbens GLT-1a overexpression reduces glutamate efflux during reinstatement of cocaine-seeking but is not sufficient to attenuate reinstatement

Carly Logan, Amber L. LaCrosse, Lori A. Knackstedt

PII: S0028-3908(18)30133-3

DOI: 10.1016/j.neuropharm.2018.03.022

Reference: NP 7125


To appear in: Neuropharmacology

Received Date: 10 November 2017

Revised Date: 14 March 2018 Accepted Date: 17 March 2018

Please cite this article as: Logan, C., LaCrosse, A.L., Knackstedt, L.A., Nucleus accumbens GLT-1a overexpression reduces glutamate efflux during reinstatement of cocaine-seeking but is not sufficient to attenuate reinstatement, *Neuropharmacology* (2018), doi: 10.1016/j.neuropharm.2018.03.022.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Nucleus accumbens GLT-1a overexpression reduces glutamate efflux during reinstatement of cocaine-seeking but is not sufficient to attenuate reinstatement

Carly Logan¹, Amber L. LaCrosse¹, Lori A. Knackstedt^{1,2}

- 1 Psychology Department, University of Florida, Gainesville, FL
- 2 Center for Addiction Research and Education, University of Florida, Gainesville, FL

Corresponding author:

Carly Logan, MS

Psychology Department

University of Florida

114 Psychology

945 Center Dr.

Gainesville, FL, 32611-2250

Email: clogan10@ufl.edu

Phone: 1-352-273-3388

Fax: 1-352-392-7985

Download English Version:

https://daneshyari.com/en/article/8516723

Download Persian Version:

https://daneshyari.com/article/8516723

<u>Daneshyari.com</u>