

Accepted Manuscript

Vesicular glutamate transporter 1 (VGLUT1)-mediated glutamate release and membrane GluA1 activation is involved in the rapid antidepressant-like effects of scopolamine in mice

Hanjie Yu, Mengmeng Li, Dongsheng Zhou, Dan Lv, Qi Liao, Zhongze Lou, Mengxin Shen, Zhen Wang, Ming Li, Xiao Xiao, Yanhua Zhang, Chuang Wang

PII: S0028-3908(17)30625-1

DOI: [10.1016/j.neuropharm.2017.12.028](https://doi.org/10.1016/j.neuropharm.2017.12.028)

Reference: NP 7005

To appear in: *Neuropharmacology*


Received Date: 23 September 2017

Revised Date: 12 December 2017

Accepted Date: 17 December 2017

Please cite this article as: Yu, H., Li, M., Zhou, D., Lv, D., Liao, Q., Lou, Z., Shen, M., Wang, Z., Li, M., Xiao, X., Zhang, Y., Wang, C., Vesicular glutamate transporter 1 (VGLUT1)-mediated glutamate release and membrane GluA1 activation is involved in the rapid antidepressant-like effects of scopolamine in mice, *Neuropharmacology* (2018), doi: 10.1016/j.neuropharm.2017.12.028.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Vesicular glutamate transporter 1 (VGLUT1)-mediated glutamate release and membrane GluA1 activation is involved in the rapid antidepressant-like effects of scopolamine in mice

Hanjie Yu^{1,2,3△}, Mengmeng Li^{1,2,3△}, Dongsheng Zhou^{4△}, Dan Lv^{1,2,3△}, Qi Liao^{1,2,3△}, Zhongze Lou^{5△}, Mengxin Shen^{1,2,3△}, Zhen Wang^{6△}, Ming Li^{7,8}, Xiao Xiao^{7,8}, Yanhua Zhang^{1,2,3}, Chuang Wang^{1,2,3*}

1 Ningbo Key Laboratory of Behavioral Neuroscience, Ningbo University School of Medicine, 818 Fenghua Road, Ningbo, Zhejiang 315211, China

2 Zhejiang Provincial Key Laboratory of Pathophysiology, Ningbo University School of Medicine, 818 Fenghua Road, Ningbo, Zhejiang 315211, China

3 Department of Physiology and Pharmacology, Ningbo University School of Medicine, 818 Fenghua Road, Ningbo, Zhejiang 315211, China

4 Ningbo Kangning Hospital, Ningbo, Zhejiang 315201, China

5 Department of Psychosomatic Medicine, Ningbo First Hospital, 59 Liuting Str., Ningbo, Zhejiang 315010, China

6 CAS Key Laboratory for Receptor Research, Shanghai Institute of Materia Medica, Chinese Academy of Sciences, Shanghai 201203, China

7 Key Laboratory of Animal Models and Human Disease Mechanisms of the Chinese Academy of Sciences and Yunnan Province, Kunming Institute of Zoology, 32 East Jiao-Chang Rd, Kunming, Yunnan 650223, China

8 CAS Center for Excellence in Brain Science and Intelligence Technology, Chinese Academy of Sciences, Shanghai 200031, China

△These authors contributed equally to this work.

***Correspondences:**

Chuang Wang, MD, PhD

Ningbo Key Laboratory of Behavioral Neuroscience

Zhejiang Provincial Key Laboratory of Pathophysiology

Department of Physiology and Pharmacology

Ningbo University School of Medicine

Ningbo, Zhejiang 315211, PR China

Download English Version:

<https://daneshyari.com/en/article/8517249>

Download Persian Version:

<https://daneshyari.com/article/8517249>

[Daneshyari.com](https://daneshyari.com)