Accepted Manuscript



Exendin-4 attenuates neuronal death via GLP-1R/PI3K/Akt pathway in early brain injury after subarachnoid hemorrhage in rats

Zhiyi Xie, Budbazar Enkhjargal, Lingyun Wu, Keren Zhou, Chengmei Sun, Xin Hu, Vadim Gospodarev, Jiping Tang, Chao You, John H. Zhang

PII: S0028-3908(17)30455-0

DOI: 10.1016/j.neuropharm.2017.09.040

Reference: NP 6887

To appear in: *Neuropharmacology*

Received Date: 25 July 2017

Revised Date: 6 September 2017

Accepted Date: 26 September 2017

Please cite this article as: Xie, Z., Enkhjargal, B., Wu, L., Zhou, K., Sun, C., Hu, X., Gospodarev, V., Tang, J., You, C., Zhang, J.H., Exendin-4 attenuates neuronal death via GLP-1R/PI3K/Akt pathway in early brain injury after subarachnoid hemorrhage in rats, *Neuropharmacology* (2017), doi: 10.1016/j.neuropharm.2017.09.040.

Exendin-4 attenuates neuronal death via GLP-1R/PI3K/Akt pathway in early brain injury after subarachnoid hemorrhage in rats

Zhiyi Xie[a,b,c], Budbazar Enkhjargal[a], Lingyun Wu[a], Keren Zhou[a], Chengmei Sun[a], Xin Hu[b,c], Vadim Gospodarev[a], Jiping Tang[a], Chao You, MD[b,c*], John H. Zhang[a*]

a. Department of Physiology and Pharmacology, Loma Linda University, Loma Linda, CA, USA

b. Department of Neurosurgery, West China Hospital, Sichuan University, Chengdu, Sichuan, China

c. West China Brain Research Centre, West China Hospital, Sichuan University, Chengdu, Sichuan, China

Running title: Ex-4 attenuates neuronal death after SAH

***Corresponding authors:**

John H. Zhang, Department of Physiology and Pharmacology, Loma Linda University, 11041 Campus St, Risley Hall, Room 219, Loma Linda, CA 92354; Tel: 909-558-4723; Fax: 909-558-0119; E-mail: johnzhang3910@yahoo.com

Chao You, Department of Neurosurgery, West China Hospital, Sichuan University, Chengdu, China; Tel: +86-028-85422972; Fax: +86-028-85422490; E-mail: youchao_nswc@163.com