Accepted Manuscript

Homer2 within the central nucleus of the amygdala modulates withdrawal-induced anxiety in a mouse model of binge-drinking

K.M. Lee, M.A. Coelho, K.R. Sern, K.K. Szumlinski

PII: S0028-3908(17)30510-5

DOI: 10.1016/j.neuropharm.2017.11.001

Reference: NP 6928

To appear in: Neuropharmacology

Received Date: 20 June 2017

Revised Date: 17 October 2017 Accepted Date: 2 November 2017

Please cite this article as: Lee, K.M., Coelho, M.A., Sern, K.R., Szumlinski, K.K., Homer2 within the central nucleus of the amygdala modulates withdrawal-induced anxiety in a mouse model of binge-drinking, *Neuropharmacology* (2017), doi: 10.1016/j.neuropharm.2017.11.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Homer2 within the central nucleus of the amygdala modulates withdrawal-induced anxiety in a mouse model of binge-drinking.

K.M. Lee¹, M.A. Coelho¹, K.R. Sern¹, K.K. Szumlinski^{1,2*}

¹Department of Psychological and Brain Sciences, University of California Santa Barbara, Santa Barbara, CA, USA, 93106-9660

²Department of Molecular, Cellular and Developmental Biology and the Neuroscience Research Institute, University of California Santa Barbara, Santa Barbara, CA, USA, 93106-9625

Running title: CEA Homer2b and alcohol withdrawal-induced anxiety

*Correspondence: Karen K. Szumlinski, Ph.D. karen.szumlinski@psych.ucsb.edu

Key words: binge drinking, adolescence, Homer2, amygdala, anxiety, alcoholism

Download English Version:

https://daneshyari.com/en/article/8517590

Download Persian Version:

https://daneshyari.com/article/8517590

<u>Daneshyari.com</u>