


Accepted Manuscript

Selective and differential interactions of BNN27, a novel C17-spiroepoxy steroid derivative, with TrkA receptors, regulating neuronal survival and differentiation

Iosif Pediaditakis, Paschalis Efstathopoulos, Kyriakos C. Prousis, Maria Zervou, Juan Carlos Arévalo, Vasileia I. Alexaki, Vassiliki Nikolettou, Efthymia Karagianni, Constantinos Potamitis, Nektarios Tavernarakis, Triantafyllos Chavakis, Andrew N. Margioris, Maria Venihaki, Theodora Calogeropoulou, Ioannis Charalampopoulos, Achille Gravanis



PII: S0028-3908(16)30383-5

DOI: [10.1016/j.neuropharm.2016.09.007](https://doi.org/10.1016/j.neuropharm.2016.09.007)

Reference: NP 6445

To appear in: *Neuropharmacology*

Received Date: 18 February 2016

Revised Date: 11 August 2016

Accepted Date: 7 September 2016

Please cite this article as: Pediaditakis, I., Efstathopoulos, P., Prousis, K.C., Zervou, M., Arévalo, J.C., Alexaki, V.I., Nikolettou, V., Karagianni, E., Potamitis, C., Tavernarakis, N., Chavakis, T., Margioris, A.N., Venihaki, M., Calogeropoulou, T., Charalampopoulos, I., Gravanis, A., Selective and differential interactions of BNN27, a novel C17-spiroepoxy steroid derivative, with TrkA receptors, regulating neuronal survival and differentiation, *Neuropharmacology* (2016), doi: 10.1016/j.neuropharm.2016.09.007.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Selective and differential interactions of BNN27, a novel C17-spiroepoxy steroid derivative, with TrkA receptors, regulating neuronal survival and differentiation.

Iosif Pediaditakis^{1,2}, Paschalis Efstathopoulos^{1,2}, Kyriakos C. Prousis³, Maria Zervou³, Juan Carlos Arévalo⁴, Vasileia I. Alexaki⁵, Vassiliki Nikolettou², Efthymia Karagianni⁶, Constantinos Potamitis³, Nektarios Tavernarakis², Triantafyllos Chavakis⁵, Andrew N. Margioris⁶, Maria Venihaki⁶, Theodora Calogeropoulou³, Ioannis Charalampopoulos¹ and Achille Gravanis^{1,2}

¹ Department of Pharmacology, School of Medicine, University of Crete, Heraklion, Greece

² Institute of Molecular Biology & Biotechnology, Foundation of Research & Technology-Hellas (IMBB-FORTH), Heraklion, Greece

³ Institute of Biology, Medicinal Chemistry & Biotechnology, National Hellenic Research Foundation, Athens, Greece

⁴ Department of Cell Biology and Pathology, Instituto de Neurociencias de Castilla y León (INCyL), Universidad de Salamanca, Salamanca, Spain

⁵ Department of Internal Medicine III, Technical University Dresden, Dresden, Germany

⁶ Department of Clinical Chemistry, School of Medicine, University of Crete, Heraklion Greece

Correspondence: Dr. I. Charalampopoulos, charalampn@uoc.gr; Dr. A. Gravanis, gravania@uoc.gr

Download English Version:

<https://daneshyari.com/en/article/8517726>

Download Persian Version:

<https://daneshyari.com/article/8517726>

[Daneshyari.com](https://daneshyari.com)