Grandiflorenic acid promotes death of promastigotes via apoptosis-like mechanism and affects amastigotes by increasing total iron bound capacity

Bruna Taciane da Silva Bortoleti , Manoela Daiele Gonçalves , Fernanda Tomiotto-Pellissier , Milena Menegazzo Miranda-Sapla , João Paulo Assolini , Amanda Cristina Machado Carloto , Priscila Goes Camargo de Carvalho , Ian Lucas Alves Cardoso , Andréa Name Colado Simão , Nilton Syogo Arakawa , Idessania Nazareth Costa , Ivete Conchon-Costa , Wander Rogério Pavanelli

PII: S0944-7113(18)30195-8
DOI: 10.1016/j.phymed.2018.06.010
Reference: PHYMED 52531

To appear in: *Phytomedicine*

Received date: 29 December 2017
Revised date: 10 March 2018
Accepted date: 10 June 2018

Please cite this article as: Bruna Taciane da Silva Bortoleti , Manoela Daiele Gonçalves , Fernanda Tomiotto-Pellissier , Milena Menegazzo Miranda-Sapla , João Paulo Assolini , Amanda Cristina Machado Carloto , Priscila Goes Camargo de Carvalho , Ian Lucas Alves Cardoso , Andréa Name Colado Simão , Nilton Syogo Arakawa , Idessania Nazareth Costa , Ivete Conchon-Costa , Wander Rogério Pavanelli , Grandiflorenic acid promotes death of promastigotes via apoptosis-like mechanism and affects amastigotes by increasing total iron bound capacity, *Phytomedicine* (2018), doi: 10.1016/j.phymed.2018.06.010

Grandiflorenic acid promotes death of promastigotes via apoptosis-like mechanism and affects amastigotes by increasing total iron bound capacity

Bruna Taciane da Silva Bortoleti[a,*]; Manoela Daiele Gonçalves[b]; Fernanda Tomiotto-Pellissier[a]; Milena Menegazzo Miranda-Sapla[a]; João Paulo Assolini[a]; Amanda Cristina Machado Carloto[a]; Priscila Goes Camargo de Carvalho[c]; Ian Lucas Alves Cardoso[b]; Andréa Name Colado Simão[d]; Nilton Syogo Arakawa[b]; Idessania Nazareth Costa[a]; Ivete Conchon-Costa[a]; Wander Rogério Pavanelli[a]

[a]Laboratory of Experimental Protozoology, Department of Pathological Sciences, Center of Biological Sciences, State University of Londrina, PR, Brazil.

[b]Laboratory of Biotransformation and Phytochemistry, Department of Chemistry, Center of Exact Sciences, State University of Londrina, PR, Brazil.

[c]Laboratory of Research on Bioactive Molecules, Department of Chemistry, Center of Exact Sciences, State University of Londrina, PR, Brazil.

[d]Department of Pathology Science, Clinical Analysis and Toxicology, Health Sciences Center, State University of Londrina, Londrina, Paraná, Brazil.

*Corresponding Author:

Bruna Taciane da Silva Bortoleti

Department of Pathological Sciences, Laboratory of Experimental Protozoology, State University of Londrina - UEL. Rodovia Celso Garcia Cid Campus, Zip Code 86057-970, Posta box 10.011. Londrina, PR.

Phone: + 055 43 33714539

E-mail address: bruh_taciane@hotmail.com