


## Accepted Manuscript

New perspectives for natural triterpene glycosides as potential adjuvants.

Marie-Aleth Lacaille-Dubois , Hildebert Wagner

PII: S0944-7113(17)30158-7  
DOI: [10.1016/j.phymed.2017.10.019](https://doi.org/10.1016/j.phymed.2017.10.019)  
Reference: PHYMED 52288



To appear in: *Phytomedicine*

Received date: 31 August 2017  
Accepted date: 29 October 2017

Please cite this article as: Marie-Aleth Lacaille-Dubois , Hildebert Wagner , New perspectives for natural triterpene glycosides as potential adjuvants., *Phytomedicine* (2017), doi: [10.1016/j.phymed.2017.10.019](https://doi.org/10.1016/j.phymed.2017.10.019)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# New perspectives for natural triterpene glycosides as potential adjuvants.

Marie-Aleth Lacaille-Dubois<sup>a,\*</sup>, Hildebert Wagner<sup>b</sup>

<sup>a</sup> PEPITE EA 4267, Laboratoire de Pharmacognosie, UFR des Sciences de Santé, Université de Bourgogne Franche-Comté, 7, Bd Jeanne d'Arc, BP 87900, 21079 Dijon cedex, France

<sup>b</sup> Department of Pharmacy, Center for Drug Research, University of Munich, Butenandtstr. 5-13, 81377 Munich, Germany

\*Corresponding author at PEPITE EA 4267, Laboratoire de Pharmacognosie, UFR des Sciences de Santé, Université de Bourgogne Franche-Comté, 7, Bd Jeanne d'Arc, BP 87900, 21079 Dijon cedex, France.  
Tel.: +33 3 80393229; fax: +33 3 80393300.

E-mail address: [m-a.lacaille-dubois@u-bourgogne.fr](mailto:m-a.lacaille-dubois@u-bourgogne.fr) (M.-A. Lacaille-Dubois)

## Table of contents

### Introduction

#### Example 1: Combination of triterpene glycosides with chemotherapeutic agents

##### *Combination with chemotherapeutic agents in conventional tumor therapies*

*Cisplatin/quillaic acid glycosides*

*Anticancer drugs with ginsenosides*

*5-Fluorouracyl/astragaloside II*

*Mitoxantrone/ triterpene glycosides from *Lysimachia ciliata**

##### *Combined application of glycosylated triterpenoids with targeted toxins*

*Chimeric toxin co-administered with a mixture of triterpene glycosides.*

*Chimeric toxins co-administered with a pure quillaic acid nonaglycoside SO-1861*

*Co-application of immunotoxins with triterpene glycosides*

#### Example 2: Combination of triterpene glycosides with antimicrobial drugs

#### Example 3: Combination of triterpene glycosides with antiinflammatory drugs

#### Example 4. Combined application of triterpene glycosides with antigen in a vaccine

*Current status on the vaccine adjuvants*

*Triterpene glycoside QS-21 from *Quillaja saponaria**

*Clinical trials*

*Prophylactic vaccines*

*Therapeutic vaccines*

### Conclusion

Download English Version:

<https://daneshyari.com/en/article/8518746>

Download Persian Version:

<https://daneshyari.com/article/8518746>

[Daneshyari.com](https://daneshyari.com)