

Accepted Manuscript

Urokinase injection-triggered clearance enhancement of a 4-arm PEG-conjugated ^{64}Cu -bombesin analog tetramer: A novel approach for the improvement of PET imaging contrast

Kazushi Matsumura, Maki Zouda, Yasuhiro Wada, Fumiyoshi Yamashita, Mitsuru Hashida, Yasuyoshi Watanabe, Hidefumi Mukai

PII: S0378-5173(18)30306-5
DOI: <https://doi.org/10.1016/j.ijpharm.2018.05.014>
Reference: IJP 17485

To appear in: *International Journal of Pharmaceutics*

Received Date: 8 March 2018
Revised Date: 2 May 2018
Accepted Date: 4 May 2018

Please cite this article as: K. Matsumura, M. Zouda, Y. Wada, F. Yamashita, M. Hashida, Y. Watanabe, H. Mukai, Urokinase injection-triggered clearance enhancement of a 4-arm PEG-conjugated ^{64}Cu -bombesin analog tetramer: A novel approach for the improvement of PET imaging contrast, *International Journal of Pharmaceutics* (2018), doi: <https://doi.org/10.1016/j.ijpharm.2018.05.014>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Urokinase injection-triggered clearance enhancement of a 4-arm PEG-conjugated
⁶⁴Cu-bombesin analog tetramer: A novel approach for the improvement of PET imaging
 contrast

1

Kazushi Matsumura^{a,b}, Maki Zouda^a, Yasuhiro Wada^a, Fumiyoshi Yamashita^b, Mitsuru
 Hashida^{b,c}, Yasuyoshi Watanabe^a, Hidefumi Mukai^{a,*}

^a *RIKEN Center for Life Science Technologies, 6-7-3 Minatojima-minamimachi, Chuo-ku,
 Kobe, Hyogo 650-0047, Japan*

^b *Department of Drug Delivery Research, Graduate School of Pharmaceutical Sciences,
 Kyoto University, 46-29 Yoshida-shimoadachi cho, Sakyo-ku, Kyoto 606-8501, Japan*

^c *Institute for Integrated Cell-Material Sciences, Kyoto University, 69 Konoe-cho, Yoshida,
 Sakyo-ku, Kyoto 606-8501, Japan*

*Corresponding author

Molecular Network Control Imaging Unit, RIKEN Center for Life Science Technologies,
 6-7-3 Minatojima-minamimachi, Chuo-ku, Kobe, Hyogo 650-0047, Japan.

E-mail address: hmukai@riken.jp (H. Mukai).

Tel: +81-78-304-7173; *Fax:* +81-78-304-7191

Abbreviations: FBP, filtered back projection; GRP, gastrin-releasing peptide; HPLC, high performance liquid chromatography; MALDI-TOF MS, matrix-assisted laser desorption/ionization time-of-flight mass spectrometry; MIP, maximum intensity projection; MLEM, maximum-likelihood expectation maximization; PAI-1, plasminogen activator inhibitor-1; PEG, polyethylene glycol; PET, positron-emission tomography; SUV, standardized uptake value; VOI, volume of interest.

Download English Version:

<https://daneshyari.com/en/article/8519782>

Download Persian Version:

<https://daneshyari.com/article/8519782>

[Daneshyari.com](https://daneshyari.com)