Accepted Manuscript


Title: Effect of ablative laser on in vitro transungual delivery

Authors: Hiep X. Nguyen, Ajay K. Banga

PII:	S0378-5173(17)30914-6
DOI:	https://doi.org/10.1016/j.ijpharm.2017.09.048
Reference:	IJP 17029
To appear in:	International Journal of Pharmaceutics
Received date:	3-7-2017
Revised date:	26-8-2017
Accepted date:	16-9-2017

Please cite this article as: Nguyen, Hiep X., Banga, Ajay K., Effect of ablative laser on in vitro transungual delivery.International Journal of Pharmaceutics https://doi.org/10.1016/j.ijpharm.2017.09.048

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Effect of ablative laser on in vitro transungual delivery

Hiep X. Nguyen¹, Ajay K. Banga^{1*}

¹Department of Pharmaceutical Sciences, College of Pharmacy, Mercer University, Atlanta, GA 30341


 \ast To whom correspondence should be addressed

E-mail: Banga_ak@mercer.edu

Phone: 678-547-6243

Fax: 678-547-6423

Graphical abstract





Bovine hoof membrane treated by fractional ablative laser 2% density, 5 mm array size, and 34.1 J/sq.cm fluence (A) SEM image, (B) Microscopic image of methylene blue-stained membrane, and (C) Fluorescent image

Download English Version:

https://daneshyari.com/en/article/8519816

Download Persian Version:

https://daneshyari.com/article/8519816

Daneshyari.com