

Accepted Manuscript

A fast and reliable DSC-based method to determine the monomolecular loading capacity of drugs with good glass-forming ability in mesoporous silica

Nele-Johanna Hempel, Katharina Brede, Niels Erik Olesen, Natalja Genina, Matthias Manne Knopp, Korbinian Löbmann

PII: S0378-5173(18)30252-7

DOI: <https://doi.org/10.1016/j.ijpharm.2018.04.035>

Reference: IJP 17442

To appear in: *International Journal of Pharmaceutics*

Received Date: 8 January 2018

Revised Date: 16 April 2018

Accepted Date: 17 April 2018



Please cite this article as: N-J. Hempel, K. Brede, N.E. Olesen, N. Genina, M.M. Knopp, K. Löbmann, A fast and reliable DSC-based method to determine the monomolecular loading capacity of drugs with good glass-forming ability in mesoporous silica, *International Journal of Pharmaceutics* (2018), doi: <https://doi.org/10.1016/j.ijpharm.2018.04.035>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A fast and reliable DSC-based method to determine the monomolecular loading capacity of drugs with good glass-forming ability in mesoporous silica

Nele-Johanna Hempel¹, Katharina Brede¹, Niels Erik Olesen², Natalja Genina¹, Matthias Manne Knopp^{3*}, Korbinian Löbmann¹

¹Department of Pharmacy, University of Copenhagen, DK-2100 Copenhagen, Denmark

²Sensors, Processes and Technology, Radiometer, DK-2700 Brønshøj, Denmark

³Bioneer:FARMA, Department of Pharmacy, University of Copenhagen, DK-2100 Copenhagen, Denmark

**Correspondence to:* Matthias Manne Knopp, Bioneer:FARMA, Department of Pharmacy, University of Copenhagen, Universitetsparken 2, DK-2100 Copenhagen, Denmark
Telephone: +45 5383-1386; E-mail: mmk@bioneer.dk

Keywords

Mesoporous silica; loading capacity; differential scanning calorimetry (DSC); poorly soluble drugs; amorphous; drug loading

Download English Version:

<https://daneshyari.com/en/article/8519850>

Download Persian Version:

<https://daneshyari.com/article/8519850>

[Daneshyari.com](https://daneshyari.com)