Title: From benchtop to pilot scale – experimental study and computational assessment of a hot-melt extrusion scale-up of a solid dispersion of dipyridamole and copovidone

Authors: Damir E. Zecevic, Rachel C. Evans, Katharina Paulsen, Karl G. Wagner

PII: S0378-5173(17)31177-8
DOI: https://doi.org/10.1016/j.ijpharm.2017.12.033
Reference: IJP 17225

To appear in: *International Journal of Pharmaceutics*

Received date: 20-9-2017
Revised date: 2-12-2017
Accepted date: 13-12-2017

Please cite this article as: Zecevic DE, Evans RC, Paulsen K, Wagner KG, From benchtop to pilot scale – experimental study and computational assessment of a hot-melt extrusion scale-up of a solid dispersion of dipyridamole and copovidone, *International Journal of Pharmaceutics* (2010), https://doi.org/10.1016/j.ijpharm.2017.12.033

From benchtop to pilot scale – experimental study and computational assessment of a hot-melt extrusion scale-up of a solid dispersion of dipyridamole and copovidone

Damir E. Zecevic [1,2,+], Rachel C. Evans[3,+], Katharina Paulsen[4,+], Karl G. Wagner [1,2,3*]

[1] Boehringer-Ingelheim Pharma GmbH & Co. KG, 88400 Biberach an der Riss, Germany

[2] Eberhard-Karls-Universität Tübingen, Institut für Pharmazeutische Technologie, 72076 Tübingen, Germany

[3] Rheinische-Friedrich-Wilhelms Universität Bonn, Department of Pharmaceutical Technology and Biopharmaceutics, 53121 Bonn, Germany

[4] Thermo Fisher Scientific, 76131 Karlsruhe, Germany

[+] Authors are currently affiliated with AbbVie Deutschland GmbH & Co. KG, 67061 Ludwigshafen, Germany

[*] Correspondence:

Karl G. Wagner

Telephone: +49-228-735271

Fax: +49-228-735268

E-mail: kgwagner@uni-bonn.de

Keywords: hot-melt extrusion, simulation, scale-up, copovidone, dipyridamole, adiabatic, amorphous solid dispersion