




Contents lists available at ScienceDirect

International Journal of Pharmaceutics

journal homepage: www.elsevier.com/locate/ijpharm



Erratum to ‘Rifampicin Lipid-Polymer hybrid nanoparticles (LIPOMER) for enhanced Peyer’s patch uptake’ [International Journal of Pharmaceutics 532 (2017) 612–622]



Sagar S. Bachhav^a, Vikas D. Dighe^b, Darsheen Kotak^a, Padma V. Devarajan^{a,*}

^a Department of Pharmaceutical Sciences and Technology, Institute of Chemical Technology, N.P. Marg, Matunga (E), Mumbai-400019, Maharashtra, India

^b National Center for Preclinical Reproductive and Genetic Toxicology, ICMR-National Institute for Research in Reproductive Health (NIRRH), J.M. Street, Parel, Mumbai-400 012, India

The publisher regrets that the resolution of Fig. 1 is poor and Figs. 7 and 9 are cut at the bottom.

The correct figures are provided below for reference.
The publisher would like to apologise for any inconvenience caused.

DOI of original article: <http://dx.doi.org/10.1016/j.ijpharm.2017.09.040>

* Corresponding author.

E-mail addresses: p.v.devarajan@ictmumbai.edu.in, pvdevarajan@gmail.com (P.V. Devarajan).

<http://dx.doi.org/10.1016/j.ijpharm.2017.11.013>

0378-5173/




Fig. 1. Contour plots showing the effects of Concentration of Gantrez AN-119 (%w/w of total Gantrez and Glyceryl monostearate amount) and concentration of Docusate sodium, AOT (% w/v of aqueous phase) on (A) the average particle size, (B) % entrapment efficiency (%EE), (C) hydrophobicity and (D) mucoadhesion of RIF nanoparticles.

Download English Version:

<https://daneshyari.com/en/article/8520809>

Download Persian Version:

<https://daneshyari.com/article/8520809>

[Daneshyari.com](https://daneshyari.com)