
Author's Accepted Manuscript

Quantification of theophylline or paracetamol in high-performance milk matrices by liquid chromatography

Tânia A.P. Fernandes, João P. Aguiar, Ana I. Fernandes, João F. Pinto



PII: S2095-1779(17)30093-X

DOI: http://dx.doi.org/10.1016/j.jpha.2017.07.005

Reference: JPHA383

To appear in: Journal of Pharmaceutical Analysis

Received date: 16 February 2017 Revised date: 10 July 2017 Accepted date: 12 July 2017

Cite this article as: Tânia A.P. Fernandes, João P. Aguiar, Ana I. Fernandes and João F. Pinto, Quantification of theophylline or paracetamol in milk matrices by high-performance liquid chromatography, Journal of Pharmaceutical Analysis http://dx.doi.org/10.1016/j.jpha.2017.07.005

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

ACCEPTED MANUSCRIPT

Quantification of theophylline or paracetamol in milk matrices by highperformance liquid chromatography

Tânia A. P. Fernandes^a, João P. Aguiar^a, Ana I. Fernandes^{a*}, João F. Pinto^b

^aCiiEM – Centro de Investigação Interdisciplinar Egas Moniz, Instituto Superior de Ciências da Saúde Egas Moniz, Monte de Caparica, 2829- 511 Caparica, Portugal.

^biMed.UL - Dep. Tecnologia Farmacêutica, Faculdade de Farmácia, Universidade de Lisboa, Av. Prof. Gama Pinto, 1649-003 Lisboa, Portugal.

*Corresponding author: Ana I. Fernandes, Instituto Superior de Ciências da Saúde Egas Moniz, Campus Universitário - Quinta da Granja, Monte de Caparica, 2829- 511 Caparica, Portugal Tel.: (+351) 212946750. e-mail: aifernandes@egasmoniz.edu.pt

ABSTRACT

A simple, accurate and sensitive high-performance liquid chromatography (HPLC) method was developed, validated and applied to the determination of either theophylline or paracetamol in

Download English Version:

https://daneshyari.com/en/article/8521141

Download Persian Version:

https://daneshyari.com/article/8521141

<u>Daneshyari.com</u>