



Original article

Top 10 most used drugs in the Kingdom of Saudi Arabia 2010–2015

Osama A. AlKhamees^{a,*}, Khaled A. AlNemer^b, Mohammed W. Bin Maneea^f, Faisal A. AlSugair^d, Bassam H. AlEnizi^e, Adel A. Alharf^c

^a Department of Pharmacology, College of Medicine, Al Imam Mohammad Ibn Saud Islamic University (IMSIU), P.O. Box 11623, Riyadh 11544, Saudi Arabia

^b Department of Medicine, College of Medicine, Al Imam Mohammad Ibn Saud Islamic University (IMSIU), P.O. Box 11623, Riyadh 11544, Saudi Arabia

^c Saudi Food and Drug Authority, Riyadh, Saudi Arabia

^d Radiology Resident, Radiology Dep., King Faisal Specialist Hospital and Research Centre (KFSHRC), Riyadh, Saudi Arabia

^e Orthopaedic Resident, Orthopaedics Dep., King Saud Medical City (KSMC), Riyadh, Saudi Arabia

^f Ophthalmology Resident, Ophthalmology Dep., Security Forces Hospital (SFH), Riyadh, Saudi Arabia

ARTICLE INFO

Article history:

Received 11 October 2017

Accepted 12 December 2017

Available online xxxx

Keywords:

Top drugs

Medication usage

Health policy

OTC

Self-medication

Antibiotics

Prescriptions

ABSTRACT

Medications usage has become a significant part of contemporary life. Many studies indicate that there is an excessive use and a considerable waste of medicines. This descriptive study aims at identifying the most used medicines in Saudi Arabia from 2010 to 2015 according to the statistics of specialized companies in the field. Comparison of the most commonly used drugs with those in the United States aims at clarifying similarities and differences. The results showed that the use of antibiotics and analgesics still accounted for the bulk, followed by proton pump inhibitors and anti-diabetics respectively, then anti-hyperlipidemic agents and erectile dysfunction treatments. The causes of this overuse vary according to the studies concerned between the self-medications and the over-prescription of the medication and the failure of the diagnostic and treatment procedures (malpractice). The recommendations are the strict application of prescribed and non-prescribed dispensing systems and the further establishment and application of national guides in the diagnosis and treatment of communicable diseases. The repetition of such studies is useful in reviewing health policies and regulations related to health practice in general and pharmacological policies in particular.

© 2017 The Authors. Production and hosting by Elsevier B.V. on behalf of King Saud University. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

1. Background and introduction

The utilization of pharmaceutical medications has become an essential part of our standard of living all round the world. Prescription drugs, particularly, are continuously considered as complicated issue: talk of pharmaceutical company endorsements, the rising cost of drugs and doctors over-prescribing their patients. Needless to say, that these drugs have an enormously affect on the life of the individual and community. For example, the misuse of antibiotics may lead to serious complications that can affect the patient and increase multi-resistant organisms within the community. Even though, Saudi Arabia is considered as a country with a

high usage of OTC (over-the-counter) drugs (Al-rukban et al., 2012), the irresponsible self-medication is common in Saudi Arabia and remains as an essential problem since people did not know whether the medicine they bought is a prescription-only or over the counter medication. Moreover, mean medication wastage was estimated to be 25.8% (Saudi Arabia) and 41.3% (other Gulf countries) which costs a total of –US \$150 million on medications that were never consumed (Abou-Auda, 2003). Meaningful the most utilized drugs amongst the population in Saudi Arabia may open new areas of research. It may also help legislative and executives authorities in Saudi Arabia to improve the policies and regulations regarding the distribution and consuming of pharmaceutical drugs. Reviewing the available literature in Saudi Arabia indicates that this issue has not been previously investigated deeply. The first step in this regard is to determine drug utilization pattern in KSA with actual figures. The main aim of this study is to determine the top ten used drugs in Saudi Arabia. Furthermore, comparing these significant figures to other world leading countries like the USA (United States of America) in regards of most utilized drugs amongst the population will give more realistic

* Corresponding author.

E-mail address: oakhamees@imamu.edu.sa (O.A. AlKhamees).

Peer review under responsibility of King Saud University.



Production and hosting by Elsevier

<https://doi.org/10.1016/j.jsps.2017.12.009>

1319-0164/© 2017 The Authors. Production and hosting by Elsevier B.V. on behalf of King Saud University.

This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Please cite this article in press as: AlKhamees, O.A., et al. Top 10 most used drugs in the Kingdom of Saudi Arabia 2010–2015. Saudi Pharmaceutical Journal (2017), <https://doi.org/10.1016/j.jsps.2017.12.009>

picture. Finally, recommendations based on the results will be provided.

2. Methods

In this descriptive study, we use Intercontinental Marketing Services (IMS), a health drug database, has been used to determine the top 10 used drugs in the KSA. IMS Health is an American company that provides information, services and technology for the healthcare industry. It is the largest vendor of U.S. physician prescribing data and best known for its collection of healthcare information spanning sales, de-identified prescription data, medical claims, electronic medical records (IMS Institute, 2016) and social media. IMS Health's products and services are used by companies to develop commercialization plans and portfolio strategies, to select patient and physician populations for specific therapies, and to measure the effectiveness of pharmaceutical marketing and sales resources (Steinbrook, 2006). The firm uses its own data to produce syndicated reports such as market forecasts and market intelligence. Focusing on prescribing drugs not OTC is the main objective of this study from the year 2010 till 2015. Additionally, results were compared with the IMS Health drug database of the top 10 used drugs in U.S.A. at the same timeline. Our choice of comparison is the US as it is a leading country in healthcare services and many published papers regarding this subject have been covered in their country, therefore, it is ideal for evaluation (Lindsley, 2012; Kantor et al., 2015). Only data related to Saudi Arabia are mixed with other items which are either non-medical (babys' formulas or food supplements, etc.) or OTC drugs, so data has been filtered to include only drugs that need to be ordered by prescription.

3. Results

It is appeared in Fig. 1 that the top utilized medication class in Saudi Arabia was analgesics specifically diclofenac with different brands from local and international companies. This class represents 67% of the top used drugs in Saudi Arabia. Diclofenac products were amongst top four drugs from 2010 to 2015. In years from 2010 to 2013 the top prescribed medication amongst all types of drugs and analgesics was the original brand of diclofenac. However, the local generic (especially G1) product of diclofenac showed gradual increasing in usage throughout the years which result in leading analgesics class in 2014 and after while the original brand usage dropped heavily in 2015.

The second most used drug class in Saudi Arabia was antibiotics and this class represents 17% of the top used drugs in Saudi Arabia. Amoxicillin plus clavulanic acid complex was the only antibiotic in the top ten list represented by two generic products. The local generic (G1) was the 3rd in the top ten list of the most commonly used antibiotic from 2010 to 2015 with steady increase. There are an antibiotic close to top ten list showed a notable increasing in usage which is ceftriaxone.

The use of two proton pump inhibitors (pantoprazole and esomeprazole) was high in Saudi from 2010 to 2015 and shared the same level of consuming in 2011 and 2014. In 2012 and 2013, pantoprazole was higher in consuming than esomeprazole. However, esomeprazole was the higher in 2015. This class represents around 7% of the most utilized drugs of the most utilized drugs.

A combination of metformin plus sitagliptin became one of the top 10 utilized medications starting from 2012. The utilization of this combination rapidly increased in the following three years where it became the fifth highly utilized agent with 4%.

The two remaining drugs on the list were: tadalafil and atorvastatin respectively with notable increasing, and closely to them sildenafil came with notable increasing. Finally, all these three drugs represent around 5% of the most utilized drugs.

The noteworthy result was that no antibiotics or analgesics were listed on the most utilized drug list of 2010 till 2015 in the United States of America. Fig. 2 illustrates the trend of the top 10 used drugs in USA during the years 2010–2015. Instead of those classes antidiabetics and antiasthmatics share the most of the top 10 used drug list, with utilization reaches almost 40% and 20%, respectively.

4. Discussion

The present study illustrated the utilization pattern of drugs in Saudi Arabia during the years 2010–2015. We are unaware of any previously published study focused on such aspect. Results showed that analgesics represent most utilized drug class in Saudi Arabia, in particular the potent non-steroidal anti-inflammatory drug (NSAID) diclofenac. It is common in the society to use the OTC form of this drug like ointments and jells (Cooper, 2013; Sharma et al., 2015). However, the public use of analgesics can be explained, partially, by self medication (Suleiman, 2013), and the over prescribing of analgesics can be linked to poor control of prescription drugs in community pharmacies in Saudi and the loss of proper national guidelines (Khan, 2014). One of key element in good prescribing practice is conserving the need and objectivity of the patient. In the USA, there were no analgesics in the list of top ten prescribed drugs. Over-utilization of diclofenac is worrisome since this drug has been linked to risk of cardiovascular disease especially when used with high doses and for long duration (Antman et al., 2007). The latter risk prompted worldwide regulatory authorities to request risk minimization measures including contraindication in patient with established congestive heart failure (NYHA II-IV), ischemic heart disease, peripheral arterial disease and/or cerebrovascular disease (Antman et al., 2007; Pawlosky, 2013).

It has been noticed from study results that two antibiotics consistently appeared in the top 10 utilized drugs in Saudi. On the contrary, antibiotics were not found in the top 10 used drugs in USA, although USA had a similar concern before 1995 and it has been solved by controlling the prescription of antibiotics (Roumie et al., 2005). However, irrational use of antibiotics evolved in both developing and developed countries (Morgan et al., 2011). Irrational use of antibiotics has two dimensions, improper prescribing and dispensing. Some doctors prescribe antibiotics to patients based on incorrect diagnosis (for instance, viral upper respiratory tract infections (Stone et al., 2000; Linder and Daniel, 2003)). This can be even complicated by lack of adherence to the prescribed antibiotic therapy by some of patients, increasing risk of antibiotic resistance (Bebell and Muir, 2014). A cross-sectional study investigated selling pattern of antibiotics in community pharmacies in Riyadh, the capital city of Saudi Arabia. The researchers found that more than three quarters of visited pharmacies sold antibiotics to consumers without prescriptions. They also reported that majority of those who dispensed antibiotics without prescription recommend the antibiotics to the patients without direct request from them (Bin Abdulhak et al., 2011). This behavior has been confirmed in another city in Saudi Arabia (Al-Mohamadi et al., 2013). Another study showed that most commonly sold drugs without prescriptions in Riyadh were antibiotics and analgesics (Aljadhey et al., 2015).

Two thirds of all antibiotics are sold without prescription, through unregulated private sectors (Holloway and Van Dijk, 2011). Even in those countries where over-the-counter delivery

Download English Version:

<https://daneshyari.com/en/article/8522481>

Download Persian Version:

<https://daneshyari.com/article/8522481>

[Daneshyari.com](https://daneshyari.com)