## Accepted Manuscript

A representative of arylcyanomethylenequinone oximes effectively inhibits growth and formation of hyphae in *Candida albicans* and influences the activity of protein kinases *in vitro* 

Maciej Masłyk, Monika Janeczko, Oleg M. Demchuk, Anna Boguszewska-Czubara, Hieronim Golczyk, Anna Sierosławska, Anna Rymuszka, Aleksandra Martyna, Konrad Kubiński

PII: DOI: Reference:	S1319-0164(17)30212-8 https://doi.org/10.1016/j.jsps.2017.12.004 SPJ 676
To appear in:	Saudi Pharmaceutical Journal
Received Date: Accepted Date:	<ul><li>19 September 2017</li><li>3 December 2017</li></ul>



Please cite this article as: Masłyk, M., Janeczko, M., Demchuk, O.M., Boguszewska-Czubara, A., Golczyk, H., Sierosławska, A., Rymuszka, A., Martyna, A., Kubiński, K., A representative of arylcyanomethylenequinone oximes efectively inhibits growth and formation of hyphae in *Candida albicans* and influences the activity of protein kinases *in vitro*, *Saudi Pharmaceutical Journal* (2017), doi: https://doi.org/10.1016/j.jsps.2017.12.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## **ACCEPTED MANUSCRIPT**

A REPRESENTATIVE OF ARYLCYANOMETHYLENEQUINONE OXIMES EFECTIVELY INHIBITS GROWTH AND FORMATION OF HYPHAE IN *CANDIDA ALBICANS* AND INFLUENCES THE ACTIVITY OF PROTEIN KINASES *IN VITRO*. Maciej Masłyk<sup>a</sup>, Monika Janeczko<sup>a</sup>, Oleg M. Demchuk<sup>b</sup>, Anna Boguszewska-Czubara<sup>c</sup>, Hieronim Golczyk<sup>a</sup>, Anna Sierosławska<sup>d</sup>, Anna Rymuszka<sup>d</sup>, Aleksandra Martyna<sup>a</sup> and Konrad Kubiński<sup>a\*</sup>,

<sup>a</sup> Department of Molecular Biology, Institute of Biotechnology, The John Paul II Catholic

University of Lublin, ul. Konstantynów 1i, 20-708 Lublin, Poland

<sup>b</sup> Organic Chemistry Department, Faculty of Chemistry, Maria Curie-Skłodowska University,

ul. Gliniana 33, 20-614 Lublin, Poland

<sup>c</sup> Department of Medical Chemistry, Medical University of Lublin, ul. Chodźki 4A, 20-093, Lublin, Poland

<sup>d</sup> Department of Animal Physiology and Toxicology, Institute of Biotechnology, The John Paul II Catholic University of Lublin, ul. Konstantynów 1i, 20-708 Lublin, Poland

## \* Corresponding author:

Dr. Konrad Kubiński, PhD, Department of Molecular Biology, Institute of Biotechnology, The John Paul II Catholic University of Lublin, ul. Konstantynów 1i, 20-708 Lublin, Poland, e-mail: kubin@kul.pl Download English Version:

## https://daneshyari.com/en/article/8522509

Download Persian Version:

https://daneshyari.com/article/8522509

Daneshyari.com