Accepted Manuscript



Identification of a peptide derived from the heptad repeat 2 region of the porcine epidemic diarrhea virus (PEDV) spike glycoprotein that is capable of suppressing PEDV entry and inducing neutralizing antibodies

Pengwei Zhao, Bin Wang, Chun-Miao Ji, Xiaoyan Cong, Ming Wang, Yao-Wei Huang

PII: S0166-3542(17)30592-2

DOI: 10.1016/j.antiviral.2017.11.021

Reference: AVR 4202

To appear in: *Antiviral Research*

Received Date: 22 August 2017

Revised Date: 29 November 2017

Accepted Date: 30 November 2017

Please cite this article as: Zhao, P., Wang, B., Ji, C.-M., Cong, X., Wang, M., Huang, Y.-W., Identification of a peptide derived from the heptad repeat 2 region of the porcine epidemic diarrhea virus (PEDV) spike glycoprotein that is capable of suppressing PEDV entry and inducing neutralizing antibodies, *Antiviral Research* (2018), doi: 10.1016/j.antiviral.2017.11.021.

Identification of a peptide derived from the heptad repeat 2 region of the porcine epidemic diarrhea virus (PEDV) spike glycoprotein that is capable of suppressing PEDV entry and inducing neutralizing antibodies

Pengwei Zhao[a,b], Bin Wang[b], Chun-Miao Ji[b], Xiaoyan Cong[c], Ming Wang[a]*, Yao-Wei Huang[b]*

[a] Key Laboratory of Zoonosis of Ministry of Agriculture, College of Veterinary Medicine, China Agricultural University, No. 2 Yuan Ming Yuan, West Road, Beijing 100193, China;

[b] Institute of Preventive Veterinary Medicine and Key Laboratory of Animal Virology of Ministry of Agriculture, College of Animal Sciences, Zhejiang University, Hangzhou 310058, China.

[c] Shandong Academy of Agricultural Sciences, Jinan, 250100, China.

*Corresponding authors:

E-mail: vetdean@cau.edu.cn (Dr. Ming Wang)

yhuang@zju.edu.cn (Dr. Yao-Wei Huang)