

Accepted Manuscript

Molecular and functional characterization of UDP-glucuronosyltransferase 1A in cynomolgus macaques

Yasuhiro Uno, Rika Takahira, Norie Murayama, Yu Ishii, Yoshinori Ikenaka, Mayumi Ishizuka, Hiroshi Yamazaki, Shinichi Ikushiro

PII: S0006-2952(18)30242-9
DOI: <https://doi.org/10.1016/j.bcp.2018.06.027>
Reference: BCP 13181

To appear in: *Biochemical Pharmacology*

Received Date: 1 June 2018
Accepted Date: 22 June 2018

Please cite this article as: Y. Uno, R. Takahira, N. Murayama, Y. Ishii, Y. Ikenaka, M. Ishizuka, H. Yamazaki, S. Ikushiro, Molecular and functional characterization of UDP-glucuronosyltransferase 1A in cynomolgus macaques, *Biochemical Pharmacology* (2018), doi: <https://doi.org/10.1016/j.bcp.2018.06.027>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Pharmacokinetics and Drug Metabolism

Molecular and functional characterization of UDP-glucuronosyltransferase 1A in cynomolgus macaques

Yasuhiro Uno^{a,*}, Rika Takahira^b, Norie Murayama^c, Yu Ishii^c, Yoshinori Ikenaka^d, Mayumi Ishizuka^d, Hiroshi Yamazaki^{c,*}, and Shinichi Ikushiro^{b,*}

^a Pharmacokinetics and Bioanalysis Center, Shin Nippon Biomedical Laboratories, Ltd., Kainan, Wakayama 642-0017, Japan, ^b Department of Biotechnology, Faculty of Engineering, Toyama Prefectural University, Imizu, Toyama 939-0398, Japan, ^c Laboratory of Drug Metabolism and Pharmacokinetics, Showa Pharmaceutical University, Machida, Tokyo 194-8543, Japan, and ^d Laboratory of Toxicology, Department of Environmental Veterinary Sciences, Graduate School of Veterinary Medicine, Hokkaido University, Sapporo, Hokkaido 060-0818, Japan

*Corresponding authors:

1) Yasuhiro Uno, D.V.M., Ph.D.

Genome Research Group, Pharmacokinetics and Bioanalysis Center, Shin Nippon Biomedical Laboratories, Ltd., 16-1 Minami Akasaka, Kainan 642-0017, Japan. Phone: +81-73-483-8881. Fax: +81-73-483-7377. E-mail address: uno-yasuhiro@snbl.co.jp

2) Hiroshi Yamazaki, Ph.D.

Laboratory of Drug Metabolism and Pharmacokinetics, Showa Pharmaceutical University, 3-3165 Higashi-Tamagawa Gakuen, Machida, Tokyo 194-8543, Japan. Phone: +81-42-721-1406. Fax: +81-42-721-1406. E-mail address: hyamazak@ac.shoyaku.ac.jp

3) Shinichi Ikushiro, Ph.D.

Department of Biotechnology, Faculty of Engineering, Toyama Prefectural University, Imizu, Toyama 939-0398, Japan. Phone: +81-766-56-7500. Fax: +81-766-56-2498. E-mail address: ikushiro@pu-toyama.ac.jp.

Download English Version:

<https://daneshyari.com/en/article/8523798>

Download Persian Version:

<https://daneshyari.com/article/8523798>

[Daneshyari.com](https://daneshyari.com)