

## Accepted Manuscript

Stimulation of TRPV1 channels activates the AP-1 transcription factor

Tobias M. Backes, Oliver G. Rössler, Xin Hui, Carsten Grötzinger, Peter Lipp, Gerald Thiel


PII: S0006-2952(18)30065-0  
DOI: <https://doi.org/10.1016/j.bcp.2018.02.008>  
Reference: BCP 13053

To appear in: *Biochemical Pharmacology*

Received Date: 1 December 2017  
Accepted Date: 8 February 2018

Please cite this article as: T.M. Backes, O.G. Rössler, X. Hui, C. Grötzinger, P. Lipp, G. Thiel, Stimulation of TRPV1 channels activates the AP-1 transcription factor, *Biochemical Pharmacology* (2018), doi: <https://doi.org/10.1016/j.bcp.2018.02.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



# Stimulation of TRPV1 channels activates the AP-1 transcription factor

Tobias M. Backes<sup>1</sup>, Oliver G. Rössler<sup>1</sup>, Xin Hui<sup>2</sup>, Carsten Grötzinger<sup>3</sup>, Peter Lipp<sup>2</sup>, and Gerald Thiel<sup>1</sup>

Running title: *TRPV1-regulated gene transcription*

<sup>1</sup>Department of Medical Biochemistry and Molecular Biology, <sup>2</sup>Anatomy and Cell Biology, Saarland University Medical Faculty, D-66421 Homburg, Germany;

<sup>3</sup>Department of Internal Medicine, Division of Hepatology and Gastroenterology, Charité, D-13353 Berlin, Germany

**Classification:** Neuropharmacology

## Correspondence:

Gerald Thiel, Department of Medical Biochemistry and Molecular Biology, Saarland University, Building 44, D-66421 Homburg, Germany

**E-mail:** gerald.thiel@uks.eu

**Fax:** +49-6841-1626500

## Abstract

Transient receptor potential vanilloid 1 (TRPV1) channels were originally described as the receptors of capsaicin, the main constituent of hot chili pepper. The biological functions of

Download English Version:

<https://daneshyari.com/en/article/8524234>

Download Persian Version:

<https://daneshyari.com/article/8524234>

[Daneshyari.com](https://daneshyari.com)