

## Accepted Manuscript

The cycloartane triterpenoid ADCX impairs autophagic degradation through Akt overactivation and promotes apoptotic cell death in multidrug-resistant HepG2/ADM cells

Haiyan Sun, Maohua Huang, Nan Yao, Jianyang Hu, Yingjie Li, Liping Chen, Nan Hu, Wencai Ye, William Chi-Shing Tai, Dongmei Zhang, Sibao Chen


PII: S0006-2952(17)30643-3  
DOI: <https://doi.org/10.1016/j.bcp.2017.10.012>  
Reference: BCP 12941

To appear in: *Biochemical Pharmacology*

Received Date: 19 August 2017  
Accepted Date: 20 October 2017

Please cite this article as: H. Sun, M. Huang, N. Yao, J. Hu, Y. Li, L. Chen, N. Hu, W. Ye, W. Chi-Shing Tai, D. Zhang, S. Chen, The cycloartane triterpenoid ADCX impairs autophagic degradation through Akt overactivation and promotes apoptotic cell death in multidrug-resistant HepG2/ADM cells, *Biochemical Pharmacology* (2017), doi: <https://doi.org/10.1016/j.bcp.2017.10.012>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**The cycloartane triterpenoid ADCX impairs autophagic degradation through Akt overactivation and promotes apoptotic cell death in multidrug-resistant HepG2/ADM cells**

Haiyan Sun<sup>a,b,1</sup>, Maohua Huang<sup>c,d,1</sup>, Nan Yao<sup>c,d,1</sup>, Jianyang Hu<sup>c,d</sup>, Yingjie Li<sup>c,d</sup>, Liping Chen<sup>c,d</sup>, Nan Hu<sup>c,d</sup>, Wencai Ye<sup>c,d</sup>, William Chi-Shing Tai<sup>b</sup>, Dongmei Zhang<sup>c,d,\*</sup>, Sibao Chen<sup>a,b,\*</sup>

<sup>a</sup>*Institute of Medicinal Plant Development, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing, China*

<sup>b</sup>*State Key Laboratory of Chinese Medicine and Molecular Pharmacology, Hong Kong Polytechnic University, Hong Kong, China*

<sup>c</sup>*College of Pharmacy, Jinan University, Guangzhou, China*

<sup>d</sup>*Guangdong Province Key Laboratory of Pharmacodynamic Constituents of TCM and New Drugs Research, Guangzhou, China*

\*Corresponding authors:

Professor Dongmei Zhang, College of Pharmacy, Jinan University, Guangzhou, China; Phone: +86-20-85222653; E-mail: dmzhang701@jnu.edu.cn.

Professor Sibao Chen, Institute of Medicinal Plant Development, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing, China; Phone: +86-755-26737182; Fax: +86-755-26972852. E-mail: sibao.chen@polyu.edu.hk.

<sup>1</sup>These authors contributed equally to this work.

Download English Version:

<https://daneshyari.com/en/article/8524468>

Download Persian Version:

<https://daneshyari.com/article/8524468>

[Daneshyari.com](https://daneshyari.com)