


Author's Accepted Manuscript

Sulforaphane improves leptin responsiveness in high-fat high-sucrose diet-fed obese mice

Noha M. Shawky, Lakshman Segar



PII: S0014-2999(18)30427-8
DOI: <https://doi.org/10.1016/j.ejphar.2018.07.050>
Reference: EJP71915

To appear in: *European Journal of Pharmacology*

Received date: 27 May 2018
Revised date: 26 July 2018
Accepted date: 27 July 2018

Cite this article as: Noha M. Shawky and Lakshman Segar, Sulforaphane improves leptin responsiveness in high-fat high-sucrose diet-fed obese mice, *European Journal of Pharmacology*, <https://doi.org/10.1016/j.ejphar.2018.07.050>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Sulforaphane improves leptin responsiveness in high-fat high-sucrose diet-fed obese mice

Noha M. Shawky ^{a,b,c}, Lakshman Segar ^{a,b,d,e,*}

^a *Center for Pharmacy and Experimental Therapeutics, University of Georgia College of Pharmacy, Augusta, Georgia, USA*

^b *Charlie Norwood VA Medical Center, Augusta, Georgia, USA*

^c *Department of Pharmacology and Toxicology, Faculty of Pharmacy, Mansoura University, Egypt*

^d *Vascular Biology Center, Department of Pharmacology and Toxicology, Augusta University, Augusta, Georgia, USA*

^e *Department of Medicine, Pennsylvania State University College of Medicine, Hershey, Pennsylvania, USA*

*** Corresponding author:** Lakshman Segar, Center for Pharmacy and Experimental Therapeutics, University of Georgia College of Pharmacy, 1120 15th Street, HM-1200 Augusta University Campus, Augusta, Georgia, USA 30912-2450 Tel.: +1 706 721 6491; fax: +1 706 721 3994; *E-mail address:* lsegar@augusta.edu (L. Segar).

ABSTRACT

Diet-induced obesity (DIO) is commonly associated with hyperleptinemia and leptin resistance. Leptin acts centrally to inhibit food intake and increase energy expenditure, thereby preventing

Download English Version:

<https://daneshyari.com/en/article/8528878>

Download Persian Version:

<https://daneshyari.com/article/8528878>

[Daneshyari.com](https://daneshyari.com)