Author's Accepted Manuscript

Characteristics of repaglinide effects on insulin secretion

Harumi Takahashi, Shihomi Hidaka, Chihiro Seki, Norihide Yokoi, Susumu Seino



PII:S0014-2999(18)30180-8DOI:https://doi.org/10.1016/j.ejphar.2018.03.025Reference:EJP71729

To appear in: European Journal of Pharmacology

Received date:2 October 2017Revised date:13 March 2018Accepted date:14 March 2018

Cite this article as: Harumi Takahashi, Shihomi Hidaka, Chihiro Seki, Norihide Yokoi and Susumu Seino, Characteristics of repaglinide effects on insulin s e c r e t i o n , *European Journal of Pharmacology*, https://doi.org/10.1016/j.ejphar.2018.03.025

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Title: Characteristics of repaglinide effects on insulin secretion

Author names and affiliations:

Harumi Takahashi^{a,b,*}, Shihomi Hidaka^a, Chihiro Seki^a, Norihide Yokoi^{a,b}, Susumu

Seino^{a,b,*}

^aDivision of Molecular and Metabolic Medicine, Kobe University Graduate School of

Medicine, 7-5-1 Kusunoki-cho, Chuo-ku, Kobe 650-0017, Japan

^bKansai Electric Power Medical Research Institute, 1-5-6 Minatojimaminamimachi,

Chuo-ku, Kobe 650-0047, Japan

*Corresponding author:

Harumi Takahashi or Susumu Seino

Accel

E-mail: htakahashi@puppy.kobe-u.ac.jp (HT) or seino@med.kobe-u.ac.jp (SS)

Download English Version:

https://daneshyari.com/en/article/8529109

Download Persian Version:

https://daneshyari.com/article/8529109

Daneshyari.com