The fruits of *Gleditsia sinensis* Lam. inhibits adipogenesis through modulation of mitotic clonal expansion and STAT3 activation in 3T3-L1 cells

Ji-Hye Lee, Younghoon Go, Bonggi Lee, Youn-Hwan Hwang, Kwang Il Park, Won-Kyung Cho, Jin Yeul Ma

www.elsevier.com/locate/jep

PII: S0378-8741(17)33162-8
DOI: https://doi.org/10.1016/j.jep.2018.04.020
Reference: JEP11315

To appear in: *Journal of Ethnopharmacology*

Received date: 24 August 2017
Revised date: 5 April 2018
Accepted date: 15 April 2018

Cite this article as: Ji-Hye Lee, Younghoon Go, Bonggi Lee, Youn-Hwan Hwang, Kwang Il Park, Won-Kyung Cho and Jin Yeul Ma, The fruits of *Gleditsia sinensis* Lam. inhibits adipogenesis through modulation of mitotic clonal expansion and STAT3 activation in 3T3-L1 cells, *Journal of Ethnopharmacology,* https://doi.org/10.1016/j.jep.2018.04.020

The fruits of *Gleditsia sinensis* Lam. inhibits adipogenesis through modulation of mitotic clonal expansion and STAT3 activation in 3T3-L1 cells

Ji-Hye Lee[#], Younghoon Go[#], Bonggi Lee, Youn-Hwan Hwang, Kwang Il Park, Won-Kyung Cho*, and Jin Yeul Ma*

KM Application Center, Korea Institute of Oriental Medicine, South Korea

Abbreviations: GFE, The fruit of *Gleditsia sinensis* Lam.; cyclin-dependent kinase, CDK; retinoblastoma susceptibility gene, Rb; signal transducer and activator of transcription 3, STAT3; peroxisome proliferator-activated receptor, PPAR; CCAAT/enhancer-binding protein, C/EBP;

Keywords: *Gleditsia sinensis* Lam., 3T3-L1 cell, adipogenesis, mitotic clonal expansion, STAT3.

*** Correspondence to: KM Application Center, Korea Institute of Oriental Medicine, 70 Cheomdan-ro, Dong-gu, Daegu, 41062, South Korea**

***E-mail addresses*: wkcho@kiom.re.kr (W.K. Cho), jyma@kiom.re.kr (J. Y. Ma)**

[#] **These authors contributed equally to this work.**