

Biofilm inhibition mechanism from extract of *Hymenocallis littoralis* leaves

Naiem H. Nadaf, Rishikesh S. Parulekar, Rahul S. Patil, Trupti K. Gade, Anjum A. Momin, Shailesh R. Waghmare, Maruti J. Dhanavade, Akalpita U. Arvindekar, Kailas D. Sonawane



PII: S0378-8741(17)33454-2
DOI: <https://doi.org/10.1016/j.jep.2018.04.031>
Reference: JEP11326

To appear in: *Journal of Ethnopharmacology*

Received date: 19 September 2017
Revised date: 17 February 2018
Accepted date: 21 April 2018

Cite this article as: Naiem H. Nadaf, Rishikesh S. Parulekar, Rahul S. Patil, Trupti K. Gade, Anjum A. Momin, Shailesh R. Waghmare, Maruti J. Dhanavade, Akalpita U. Arvindekar and Kailas D. Sonawane, Biofilm inhibition mechanism from extract of *Hymenocallis littoralis* leaves, *Journal of Ethnopharmacology*, <https://doi.org/10.1016/j.jep.2018.04.031>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Biofilm inhibition mechanism from extract of *Hymenocallis littoralis* leaves

Naiem H. Nadaf^a, Rishikesh S. Parulekar^a, Rahul S. Patil^b, Trupti K. Gade^a, Anjum A. Momin^a, Shailesh R. Waghmare^a, Maruti J. Dhanavade^a, Akalpita U. Arvindekar^b, Kailas D. Sonawane^{a, b*}

^a Department of Microbiology, Shivaji University, Vidyanagar, Kolhapur 416004, Maharashtra, India

^b Department of Biochemistry, Shivaji University, Vidyanagar, Kolhapur 416004, Maharashtra, India

*Corresponding author: **Prof. Kailas D. Sonawane** Professor and Head Department of Microbiology, Shivaji University, Vidyanagar, Kolhapur (MS) 416004. India. Phone: +91-9881320719. E mail: kds_biochem@unishivaji.ac.in

Abstract:

Ethnopharmacological relevance: *Hymenocallis littoralis* (Jacq.) Salisb. has been referred as beach spider lily and commonly known for its rich phytochemical diversity. Phytochemicals such as alkaloids, volatile constituents, phenols, flavonoids, flavonols extracted from different parts of these plants like bulbs, flowers, leaf, stem and root had been used in folk medicines from ancient times because of their excellent antimicrobial and antioxidant properties. The leaf and bulb extract of *H. littoralis* plant was traditionally used for wound healing. Alkaloids extracted from bulb of this plant possess anti-viral, anti-neoplastic and cytotoxic properties. However, these phytochemicals have also shown antibiofilm activity, which is considered as one of the important factor accountable for the drug resistance in microorganisms. Thus, the investigation of medicinal properties of *H. littoralis* could be useful to control biofilm producing pathogens.

Download English Version:

<https://daneshyari.com/en/article/8532181>

Download Persian Version:

<https://daneshyari.com/article/8532181>

[Daneshyari.com](https://daneshyari.com)