
Author's Accepted Manuscript

Sub-chronic toxicity of *Gyejibokryeong-hwan* in Sprague-Dawley rats

Seong Eun Jin, Chang-Seob Seo, Mee-Young Lee, Hyeun-Kyoo Shin, Mi-Jin Yang, Hyekyung Ha



PII:S0378-8741(18)30404-5DOI:https://doi.org/10.1016/j.jep.2018.06.017Reference:JEP11406

To appear in: Journal of Ethnopharmacology

Received date:2 February 2018Revised date:14 May 2018Accepted date:14 June 2018

Cite this article as: Seong Eun Jin, Chang-Seob Seo, Mee-Young Lee, Hyeun-Kyoo Shin, Mi-Jin Yang and Hyekyung Ha, Sub-chronic toxicity of *Gyejibokryeong-hwan* in Sprague-Dawley rats, *Journal of Ethnopharmacology*, https://doi.org/10.1016/j.jep.2018.06.017

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Sub-chronic toxicity of Gyejibokryeong-hwan in Sprague-Dawley rats

Seong Eun Jin^a, Chang-Seob Seo^a, Mee-Young Lee^a, Hyeun-Kyoo Shin^a, Mi-Jin Yang^b, Hyekyung Ha^{a*}

^aK-herb Research Center, Korea Institute of Oriental Medicine, 1672 Yuseong-daero, Yuseong-gu, Daejeon, 34054, Republic of Korea

^bPathology Research Group, Jeonbuk Department of Inhalation Research, Korea Institute of Toxicology, 30 Baehak 1-gil, Jeongeup, Jeonbuk, 56212, Republic of Korea

***Corresponding author.** Hyekyung Ha K-herb Research Center, Korea Institute of Oriental Medicine, 1672 Yuseong-daero, Yuseong-gu, Daejeon, 34054, Republic of Korea Tel.: +82-42-868-9513; fax: +82-42-864-2120. hkha@kiom.re.kr

ABSTRACT

Ethnopharmacological relevance

Traditional herbal formula *Gyejibokryeong-hwan* (GJBRH; *Guizhifuling-wan*, *Keishibukuryo-gan*) consisting five medicinal herbs has been used to treat uterine disorders, gynecological diseases and blood stasis syndrome in Asia.

Aim of the study

We evaluated the safety of GJBRH in Crl:CD Sprague-Dawley (SD) rats over a period of 13 weeks.

Materials and methods

To confirm the stability of the components of GJBRH, we analyzed the component contents

Download English Version:

https://daneshyari.com/en/article/8532186

Download Persian Version:

https://daneshyari.com/article/8532186

Daneshyari.com