

Terpene glycoside component from Moutan Cortex ameliorates diabetic nephropathy by regulating endoplasmic reticulum stress-related inflammatory responses

Juan Chen, Xue-feng Hou, Gang Wang, Qing-xiang Zhong, Ying Liu, Hui-hui Qiu, Nan Yang, Jun-fei Gu, Chun-fei Wang, Li Zhang, Jie Song, Lu-qi Huang, Xiao-bin Jia, Ming-hua Zhang, Liang Feng



PII: S0378-8741(16)30933-3  
DOI: <http://dx.doi.org/10.1016/j.jep.2016.09.043>  
Reference: JEP10443

To appear in: *Journal of Ethnopharmacology*

Received date: 5 May 2016  
Revised date: 16 September 2016  
Accepted date: 20 September 2016

Cite this article as: Juan Chen, Xue-feng Hou, Gang Wang, Qing-xiang Zhong, Ying Liu, Hui-hui Qiu, Nan Yang, Jun-fei Gu, Chun-fei Wang, Li Zhang, Jie Song, Lu-qi Huang, Xiao-bin Jia, Ming-hua Zhang and Liang Feng, Terpene glycoside component from Moutan Cortex ameliorates diabetic nephropathy by regulating endoplasmic reticulum stress-related inflammatory responses, *Journal of Ethnopharmacology*, <http://dx.doi.org/10.1016/j.jep.2016.09.043>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Terpene glycoside component from Moutan Cortex ameliorates diabetic nephropathy by regulating endoplasmic reticulum stress-related inflammatory responses

Juan Chen<sup>a,b,c,e,1</sup>, Xue-feng Hou<sup>f,1</sup>, Gang Wang<sup>a</sup>, Qing-xiang Zhong<sup>a,c</sup>, Ying Liu<sup>a</sup>, Hui-hui Qiu<sup>a,c</sup>, Nan Yang<sup>a,c</sup>, Jun-fei Gu<sup>a,c</sup>, Chun-fei Wang<sup>a</sup>, Li Zhang<sup>a</sup>, Jie Song<sup>a,c</sup>, Lu-qi Huang<sup>b</sup>, Xiao-bin Jia<sup>a,c,e\*</sup>, Ming-hua Zhang<sup>d\*</sup>, Liang Feng<sup>a,e\*</sup>

<sup>a</sup>Key Laboratory of New Drug Delivery Systems of Chinese Materia Medica, Jiangsu Provincial Academy of Chinese Medicine, Jiangsu Nanjing, 210028, P.R. China.

<sup>b</sup>State Key Laboratory Breeding Base of Dao-di Herbs, China Academy of Chinese Medical Sciences, Beijing, 100700, P.R. China.

<sup>c</sup>School of Pharmacy, Nanjing University of Chinese Medicine, Jiangsu Nanjing 210023, P.R. China.

<sup>d</sup>Department of Pharmacy, Wuxi Xishan People's Hospital, Jiangsu Wuxi, 214011, P.R. China.

<sup>e</sup>Third School of Clinical Medical of Nanjing University of Chinese Medicine, Jiangsu Nanjing 210028, P.R. China.

<sup>f</sup>School of Pharmacy, Anhui University of Chinese Medicine, Anhui Hefei 230012, P.R. China.

jxiaobin2005@hotmail.com

jdxy0701.111@163.com

wenmoxiushi@163.com

\*Corresponding authors: 100<sup>#</sup> Shizi Road, Nanjing, Jiangsu, P.R. China.

\*Corresponding authors: 588<sup>#</sup> Guangrui Road, Wuxi, Jiangsu, P.R. China.

\*Corresponding authors:

## Abstract

*Ethnopharmacological relevance:*

<sup>1</sup> Juan Chen and Xuefeng Hou contributed equally to the work.

Download English Version:

<https://daneshyari.com/en/article/8532698>

Download Persian Version:

<https://daneshyari.com/article/8532698>

[Daneshyari.com](https://daneshyari.com)