


Accepted Manuscript

Apelin protects against NMDA-induced retinal neuronal death via an APJ receptor by activating Akt and ERK1/2, and suppressing TNF- α expression in mice

Yuki Ishimaru, M.S., Akihide Sumino, Daiki Kajioka, Fumiya Shibagaki, Akiko Yamamuro, Yasuhiro Yoshioka, Maeda Sadaaki, Ph.D.



PII: S1347-8613(16)30170-0

DOI: [10.1016/j.jphs.2016.12.002](https://doi.org/10.1016/j.jphs.2016.12.002)

Reference: JPHS 305

To appear in: *Journal of Pharmacological Science*

Received Date: 15 November 2016

Revised Date: 12 December 2016

Accepted Date: 13 December 2016

Please cite this article as: Ishimaru Y, Sumino A, Kajioka D, Shibagaki F, Yamamuro A, Yoshioka Y, Sadaaki M, Apelin protects against NMDA-induced retinal neuronal death via an APJ receptor by activating Akt and ERK1/2, and suppressing TNF- α expression in mice, *Journal of Pharmacological Science* (2017), doi: [10.1016/j.jphs.2016.12.002](https://doi.org/10.1016/j.jphs.2016.12.002).

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Full paper

Apelin protects against NMDA-induced retinal neuronal death via an APJ receptor by activating Akt and ERK1/2, and suppressing TNF- α expression in mice

Running title

Apelin protects retinal neurons

Yuki Ishimaru^{1,†,*}, Akihito Sumino^{1,†}, Daiki Kajioka¹, Fumiya Shibagaki¹, Akiko Yamamuro¹,
Yasuhiro Yoshioka¹, and Sadaaki Maeda^{1,‡}

¹Department of Pharmacotherapeutics, Faculty of Pharmaceutical Sciences, Setsunan University,
45-1 Nagaotouge-cho, Hirakata, Osaka 573-0101, Japan

†These authors contributed equally to this study.

****Corresponding author***

Yuki Ishimaru, M.S.

Department of Pharmacotherapeutics, Faculty of Pharmaceutical Sciences, Setsunan University
45-1, Nagaotouge-cho, Hirakata, Osaka 573-0101, Japan

Tel: +81-72-866-3132

FAX: +81-72-866-3146

Email: ishimaru@pharm.setsunan.ac.jp

‡Co-corresponding author

Sadaaki Maeda, Ph.D.

Department of Pharmacotherapeutics, Faculty of Pharmaceutical Sciences, Setsunan University
45-1, Nagaotouge-cho, Hirakata, Osaka 573-0101, Japan

Tel: +81-72-866-3147

FAX: +81-72-866-3146

Email: smaeda@pharm.setsunan.ac.jp

Text words count: 4,050

Download English Version:

<https://daneshyari.com/en/article/8533477>

Download Persian Version:

<https://daneshyari.com/article/8533477>

[Daneshyari.com](https://daneshyari.com)