Ferulic acid, a dietary polyphenol suppresses osteoclast differentiation and bone erosion via the inhibition of RANKL dependent NF-κB signalling pathway

Hari Madhuri Doss, Snigdha Samarpita, Ramamoorthi Ganesan, Mahaboobkhan Rasool

PII:	S0024-3205(18)30354-0
DOI:	doi:10.1016/j.lfs.2018.06.013
Reference:	LFS 15764
To appear in:	*Life Sciences*
Received date:	21 March 2018
Revised date:	11 June 2018
Accepted date:	13 June 2018

Please cite this article as: Hari Madhuri Doss, Snigdha Samarpita, Ramamoorthi Ganesan, Mahaboobkhan Rasool , Ferulic acid, a dietary polyphenol suppresses osteoclast differentiation and bone erosion via the inhibition of RANKL dependent NF-κB signalling pathway. Lfs (2018), doi:10.1016/j.lfs.2018.06.013

Ferulic acid, a dietary polyphenol suppresses osteoclast differentiation and bone erosion via the inhibition of RANKL dependent NF-κB signalling pathway

Hari Madhuri Doss, Snigdha Samarpita, Ramamoorthi Ganesan, Mahaboobkhan Rasool

Immunopathology Lab, School of Bio Sciences and Technology, Vellore Institute of Technology (VIT), Vellore - 632 014, Tamilnadu, India.

***Corresponding author**

Dr. M. Rasool
SMV 240, Immunopathology Lab
School of Bio Sciences and Technology
Vellore Institute of Technology (VIT)
Vellore - 632 014, India
Mobile: +91 9629795044
Email: mkr474@gmail.com