

Accepted Manuscript

The beclomethasone anti-inflammatory effect occurs in cell/mediator-dependent manner and is additively enhanced by formoterol: NFkB, p38, PKA analysis

Silvana Cianchetti, Cristina Cardini, Alessandro Corti, Marta Menegazzi, Elena Darra, Eleonora Ingrassia, Alfonso Pompella, Pierluigi Paggiaro



PII: S0024-3205(18)30196-6
DOI: doi:[10.1016/j.lfs.2018.04.015](https://doi.org/10.1016/j.lfs.2018.04.015)
Reference: LFS 15650
To appear in: *Life Sciences*
Received date: 26 January 2018
Revised date: 10 April 2018
Accepted date: 11 April 2018

Please cite this article as: Silvana Cianchetti, Cristina Cardini, Alessandro Corti, Marta Menegazzi, Elena Darra, Eleonora Ingrassia, Alfonso Pompella, Pierluigi Paggiaro , The beclomethasone anti-inflammatory effect occurs in cell/mediator-dependent manner and is additively enhanced by formoterol: NFkB, p38, PKA analysis. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Lfs*(2017), doi:[10.1016/j.lfs.2018.04.015](https://doi.org/10.1016/j.lfs.2018.04.015)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The beclomethasone anti-inflammatory effect occurs in cell/mediator-dependent manner and is additively enhanced by formoterol: NFkB, p38, PKA analysis

Silvana Cianchetti PhD, Cristina Cardini MSc, Alessandro Corti PhD,¹ Marta Menegazzi MSc², Elena Darra PhD², Eleonora Ingrassia MSc³, Alfonso Pompella MD¹, Pierluigi Paggiaro MD.

Department of Surgery and Medical, Molecular, and Critical Area Pathology, Medical School, University of Pisa, Pisa, Italy; 1) Department of Translational Research and New Technologies in Medicine and Surgery, Medical School, University of Pisa, Pisa, Italy; 2) Department of Neurosciences, Biomedicine and Movement Sciences, University of Verona, Verona, Italy; 3) Medical Affairs, Chiesi Pharmaceutical S.p.A, Parma, Italy

***Correspondence to:**

Silvana Cianchetti, PhD

Dipartimento di Patologia Chirurgica, Medica, Molecolare e dell'Area Critica

Ospedale Cisanello, Via Paradisa 2 – 56124 Pisa, Italy

E-mail: silvana.cianchetti@dctv.unipi.it

Funding Source: The study was sponsored by Chiesi Farmaceutici S.p.A., Parma, Italy.

Download English Version:

<https://daneshyari.com/en/article/8534901>

Download Persian Version:

<https://daneshyari.com/article/8534901>

[Daneshyari.com](https://daneshyari.com)