

The Atxn7-overexpressing mice showed hyperactivity and impulsivity which were ameliorated by atomoxetine treatment: A possible animal model of the hyperactive-impulsive phenotype of ADHD

Irene Joy I. dela Peña, Chrislean Jun Botanas, June Bryan de la Peña, Raly James Custodio, Ike dela Peña, Zae Young Ryoo, Bung-Nyun Kim, Jong Hoon Ryu, Hee Jin Kim, Jae Hoon Cheong

PII: S0278-5846(18)30177-5
DOI: doi:10.1016/j.pnpbp.2018.08.012
Reference: PNP 9472

To appear in: *Progress in Neuropsychopharmacology & Biological Psychiatry*

Received date: 13 March 2018
Revised date: 25 July 2018
Accepted date: 14 August 2018

Please cite this article as: Irene Joy I. dela Peña, Chrislean Jun Botanas, June Bryan de la Peña, Raly James Custodio, Ike dela Peña, Zae Young Ryoo, Bung-Nyun Kim, Jong Hoon Ryu, Hee Jin Kim, Jae Hoon Cheong , The Atxn7-overexpressing mice showed hyperactivity and impulsivity which were ameliorated by atomoxetine treatment: A possible animal model of the hyperactive-impulsive phenotype of ADHD. Pnp (2018), doi:10.1016/j.pnpbp.2018.08.012

The Atxn7-overexpressing mice showed hyperactivity and impulsivity which were ameliorated by atomoxetine treatment: a possible animal model of the hyperactive-impulsive phenotype of ADHD.

Irene Joy I. dela Peña[1†], Chrislean Jun Botanas[1†], June Bryan de la Peña[1†], Raly James Custodio[1], Ike dela Peña[2], Zae Young Ryoo[3], Bung-Nyun Kim[4], Jong Hoon Ryu[5], Hee Jin Kim[1*], and Jae Hoon Cheong[1*]

[1] *Uimyung Research Institute for Neuroscience, Department of Pharmacy, Sahmyook University, 815 Hwarang-ro, Nowon-gu, Seoul 139-742, Republic of Korea*

[2] *Department of Pharmaceutical and Administrative Sciences, Loma Linda University, CA 92350, USA*

[3] *School of Life Science, BK21 Plus KNU Creative Bio Research Group, College of Natural Sciences, Kyungpook National University, Buk-ku, Daegu 41566, Republic of Korea*

[4] *Department of Research Planning, Mental Health Research Institute, National Center for Mental Health, Seoul, Republic of Korea*

[5] *Department of Life and Nanopharmaceutical Science, College of Pharmacy, Kyung Hee University, Seoul 130-701, Republic of Korea; Department of Oriental Pharmaceutical Science, College of Pharmacy, Kyung Hee University, Seoul 130-701, Republic of Korea*

* Corresponding Authors Tel: +82-2-3399-1605, Fax: +82-2-3399-1619

E-mail address: cheongjh@syu.ac.kr (J.H. Cheong) and hjkim@syu.ac.kr (H.J. Kim)

[†] The authors equally contributed in performing the experiments and in the preparation of the manuscript.