Accepted Manuscript

Affective symptoms in schizophrenia are strongly associated with neurocognitive deficits indicating disorders in executive functions, visual memory, attention and social cognition Neuro-Psychopharmacology & Biological Psychiatry

Buranee Kanchanatawan, Supaksorn Thika, George Anderson, Piotr Galecki, Michael Maes

PII: S0278-5846(17)30129-X

DOI: doi: 10.1016/j.pnpbp.2017.06.031

Reference: PNP 9153

To appear in: Progress in Neuropsychopharmacology & Biological Psychiatry

Received date: 16 February 2017 Revised date: 21 June 2017 Accepted date: 26 June 2017

Please cite this article as: Buranee Kanchanatawan, Supaksorn Thika, George Anderson, Piotr Galecki, Michael Maes, Affective symptoms in schizophrenia are strongly associated with neurocognitive deficits indicating disorders in executive functions, visual memory, attention and social cognition. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Pnp(2017), doi: 10.1016/j.pnpbp.2017.06.031

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Affective symptoms in schizophrenia are strongly associated with neurocognitive deficits indicating disorders in executive functions, visual memory, attention and social cognition

Buranee Kanchanatawan a , Supaksorn Thika a , George Anderson b Piotr Galecki c , Michael Maes a,d,e,f,g

^a Department of Psychiatry, Faculty of Medicine, Chulalongkorn University, Bangkok, Thailand

^b CRC Scotland & London, Eccleston Square, London, UK

^c Department of Adult Psychiatry, Medical University of Lodz, Poland

^d Department of Psychiatry, Medical University of Plovdiv, Plovdiv, Bulgaria

^e Department of Psychiatry, Faculty of Medicine, State University of Londrina, Londrina, Brazil

^f Revitalis, Waalre, the Netherlands

g IMPACT Strategic Research Center, Deakin University, Geelong, Australia

Corresponding author:

Prof. Dr. Michael Maes, M.D., Ph.D.

IMPACT Strategic Research Center

Barwon Health

Deakin University

Geelong, Vic

Australia

dr.michaelmaes@hotmail.com

Download English Version:

https://daneshyari.com/en/article/8537576

Download Persian Version:

https://daneshyari.com/article/8537576

<u>Daneshyari.com</u>